




'Basic' ball valves

Female threaded outlet - Single acting spring return actuator - PTFE ITEM 254



REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	contenido.peso bruto	Unidades lote
1011219	BALL V. S/ACTING,NEUM. ACT,F.THR. 1/2"	2.354	0.01553	2.68	1
1011220	BALL V. S/ACTING,NEUM. ACT,F.THR. 3/4"	2.394	0.02244	2.93	1
1011221	BALL V. S/ACTING,NEUM. ACT,F.THR. 1"	2.515	0.03129	3.08	1
1011222	BALL V. S/ACTING,NEUM. ACT,F.THR. 1 1/4"	2.740	0.03129	3.30	1
1011223	BALL V. S/ACTING, PNEUM. ACT.F/THR. 1 1/2"	3.016	0.03129	3.58	1
1011224	BALL V. S/ACTING,NEUM. ACT,F.THR. 2"	4.204	0.03648	4.90	1
1011225	BALL V. S/ACTING,NEUM. ACT,F.THR. 2 1/2"	6.039	0.04460	6.88	1
1011226	BALL V. S/ACTING,NEUM. ACT,F.THR. 3"	7.735	0.04460	8.58	1
1011227	BALL V. S/ACTING,NEUM. ACT,F.THR. 4"	8.774	0.04460	9.61	1





ITEM 254 | Female threaded outlet - Single acting spring return actuator - PTFE

C??DIGO	r	PESO (g)	DN	Actuador	B	C	D	E	F	PN	TIPO ROSCA
11219	1/2"	2354	15	H050SE	17	52	47	91	211	PN16	BSP
11220	3/4"	2394	20	H050SE	20	59	51	101	219	PN16	BSP
11221	1"	2515	25	H050SE	23	70	66	120	230	PN16	BSP
11222	1 1/4"	2740	32	H063SE	26	84	72	134	249	PN16	BSP
11223	1 1/2"	3016	40	H063SE	33	99	77	153	267	PN16	BSP
11224	2"	4204	50	H063SE	29	121	90	161	352	PN16	BSP
11225	2 1/2"	6039	65	H075SE	33	151	121	204	426	PN10	BSP
11226	3"	7735	80	H100SE	36	175	141	234	450	PN10	BSP
11227	4"	8774	100	H100SE	42	210	155	267	477	PN10	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es