




## 'Compact' ball valves

# Elbow valve male - female threaded PTFE

### ITEM 886

| REFERENCE | DESCRIPTION                                  | Net weight | Volumen (m <sup>3</sup> ) | Gross weight | Unidades lote |
|-----------|--|------------|---------------------------|--------------|---------------|
| 111C090   | PPGF 90° ELBOW VALV. M/THR.-F/THR. 1/2"-1/2" | 0,129      | 0,00892                   | 2,815        | 20            |
| 111C091   | PPGF 90° ELBOW VALV. M/THR.-F/THR. 1/2"-3/4" | 0,12838    | 0,00892                   | 2,805        | 20            |
| 111C092   | PPGF 90° ELBOW VALV. M/THR.-F/THR. 3/4"-3/4" | 0,171507   | 0,00892                   | 2,76         | 15            |
| 111C093   | PPGF 90° ELBOW VALV. M/THR.-F/THR. 3/4"-1"   | 0,166      | 0,00892                   | 2,655        | 15            |





## ITEM 886 | Elbow valve male - female threaded PTFE

| CÓDIGO | r1-r2     | DN | PESO (g) | A   | B  | C1 | C2 | D   | F  | PN   | TIPO ROSCA |
|--------|-----------|----|----------|-----|----|----|----|-----|----|------|------------|
| 11C090 | 1/2"-1/2" | 15 | 128.88   | 98  | 48 | 14 | 14 | 104 | 80 | PN10 | BSP        |
| 11C091 | 1/2"-3/4" | 15 | 128.38   | 98  | 48 | 17 | 17 | 106 | 80 | PN10 | BSP        |
| 11C092 | 3/4"-3/4" | 20 | 168      | 105 | 53 | 21 | 17 | 109 | 80 | PN10 | BSP        |
| 11C093 | 3/4"-1"   | 20 | 166      | 105 | 53 | 21 | 21 | 112 | 80 | PN10 | BSP        |



## Product Documents



## Product Certificates

## Company Certificates

