




'Compact' ball valves male threaded outlet - PE ITEM 571

| REFERENCE | DESCRIPTION | Net weight | Volumen (m ³) | Gross weight | Unidades lote |
|-----------|--|------------|---------------------------|--------------|---------------|
| 111C050 | GFPP COMP.B.VALV. PE- MALE THREADED OUTLET 20-1/2" | 0,123 | 0,00892 | 2,6 | 20 |
| 111C051 | PE- MALE THREADED OUTLET 25-3/4" | 0,158 | 0,00892 | 3,3 | 20 |
| 111C052 | PE- MALE THREADED OUTLET 32-1" | 0,2591 | 0,01553 | 4,214 | 15 |





ITEM 571 | male threaded outlet - PE

| CÓDIGO | Ø-r | DN | PESO (g) | A | B | C | D | F | PN | TIPO ROSCA |
|--------|---------|----|----------|-----|----|----|----|-----|------|------------|
| 11C050 | 20-1/2" | 15 | 123.13 | 180 | 48 | 65 | 14 | 80 | PN10 | BSP |
| 11C051 | 25-3/4" | 20 | 157.78 | 193 | 53 | 65 | 17 | 80 | PN10 | BSP |
| 11C052 | 32-1" | 25 | 260 | 216 | 59 | 70 | 19 | 101 | PN10 | BSP |



Product Documents



Product Certificates

Company Certificates

