'Compact' ball valves

Female threaded pneumatic actuator double acting

ITEM 911




REFERENCE	DESCRIPTION	Net weight	Volumen (m^3)	Gross weight	Unidades lote
111C222	3/4" COMPACT FEM. THREAD VALVE WITH ACT. NEUM. D/E	1,4248	0,03129	1,9978	1
111C223	1" COMPACT FEM. THREADED VALVE WITH ACT. NEUM. D/E	1,4704	0,03129	2,0434	1
111C224	1 1/4" COMPA. FEM. THRE. VALVE WITH ACT. NEUM. D/E	1,6917	0,03129	2,2647	1
111C225	1 1/2" COMPA. FEM. THRE. VALVE WITH ACT. NEUM. D/E	2,713	0,03129	3,286	1
111C226	2" COMPACT FEM. THREADED VALVE WITH ACT. NEUM. D/E	2,4115	0,03129	2,9845	1
111C227	VALVULA COMPACT R/H 2 1/2" ACT NEUMATICO D/E	4,602	0,03129	5,178	1
111C228	VALVULA COMPACT R/H 3" ACT NEUMATICO D/E	4,612	0,03129	5,185	1

Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)

+34 965 11 42 82
+34 965 11 48 62
tecnicocomercial@hidroten.es

Technical &
Commercial Service
+ 34 966 105 888

www.hidroten.es



ITEM 911 | Female threaded pneumatic actuator double acting

CÓDIGO	r	DN	PESO (g)	Actuador	A	B	C	D	E	PN	TIPO ROSCA
11C227	2 1/2"	65	4602	H075DE	188	132	30	316	210	**PN10**	BSP
11C228	3"	65	4612	H075DE	188	132	30	316	210	**PN10**	BSP

Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)

+34 965 11 42 82
+34 965 11 48 62
tecnicocomercial@hidroten.es

Technical &
Commercial Service
+ 34 966 105 888

www.hidroten.es

Product Documents

Product Certificates

Company Certificates







Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)

+34 965 11 42 82
+34 965 11 48 62
tecnicocomercial@hidroten.es

Technical &
Commercial Service
+ 34 966 105 888

www.hidroten.es