




PP threaded fittings

Female-male reducing

ITEM 120

| REFERENCE | DESCRIPTION | Net weight | Volumen (m ³) | Gross weight | Unidades lote |
|-----------|--|------------|---------------------------|--------------|---------------|
| 1004080 | PP REDUCTION,FEMALE-MALE 3/4"-1/2" | 0,008688 | 0,00892 | 1,925 | 200 |
| 1004081 | PP REDUCTION,FEMALE-MALE 1"-1/2" | 0,0166 | 0,00892 | 1,85 | 100 |
| 1004082 | PP REDUCTION,FEMALE-MALE 1"-3/4" | 0,016676 | 0,00892 | 1,855 | 100 |
| 1004084 | PP REDUCTION,FEMALE-MALE 1 1/4"-3/4" | 0,021394 | 0,01553 | 2,485 | 100 |
| 1004085 | PP REDUCTION,FEMELLE-MALE 1 1/4"-1" | 0,023394 | 0,01553 | 2,685 | 100 |
| 1004086 | PP REDUCTION,FEMALE-MALE 1 1/2"-3/4" | 0,036315 | 0,00892 | 1,64 | 40 |
| 1004087 | PP REDUCTION,FEMALE-MALE 1 1/2"-1" | 0,03794 | 0,00892 | 1,705 | 40 |
| 1004088 | PP REDUCTION,FEMALE-MALE 1 1/2"-1 1/4" | 0,0398 | 0,00892 | 1,78 | 40 |
| 1004089 | PP REDUCTION,FEMALE-MALE 2"-3/4" | 0,050566 | 0,01553 | 2,855 | 50 |
| 1004090 | PP REDUCTION,FEMALE-MALE 2"-1" | 0,0519 | 0,01553 | 2,94 | 50 |
| 1004091 | PP REDUCTION,FEMALE-MALE 2"-1 1/4" | 0,054 | 0,01553 | 3,02 | 50 |
| 1004092 | PP REDUCTION,FEMALE-MALE 2"-1 1/2" | 0,056646 | 0,02244 | 3,32 | 50 |
| 1004093 | PP REDUCTION,FEMALE-MALE 2 1/2"-1" | 0,074319 | 0,02244 | 4,055 | 48 |
| 1004094 | PP REDUCTION,FEMALE-MALE 2 1/2"-1 1/4" | 0,074319 | 0,02244 | 4,055 | 48 |
| 1004095 | PP REDUCTION,FEMALE-MALE 2 1/2"-1 1/2" | 0,076506 | 0,02244 | 4,16 | 48 |
| 1004096 | PP REDUCTION,FEMALE-MALE 2 1/2"-2" | 0,083798 | 0,02244 | 4,51 | 48 |





ITEM 120 | Female-male reducing

| Código | f tubo - A-B | Peso (g) | C | D | E | F | PN | TIPO ROSCA |
|--------|-----------------|----------|----|----|----|----|------|------------|
| 04080 | 3/4" - 1/2" | 9 | 16 | 13 | 31 | 37 | PN10 | BSP |
| 04081 | 1 - 1/2" | 15 | 21 | 13 | 37 | 47 | PN10 | BSP |
| 04082 | 1" - 3/4" | 16 | 21 | 15 | 40 | 47 | PN10 | BSP |
| 04084 | 1 1/4" - 3/4" | 21 | 21 | 15 | 39 | 56 | PN10 | BSP |
| 04085 | 1 1/4" - 1" | 23 | 21 | 17 | 42 | 56 | PN10 | BSP |
| 04086 | 1 1/2" - 3/4" | 35 | 26 | 15 | 46 | 65 | PN10 | BSP |
| 04087 | 1 1/2" - 1" | 37 | 26 | 17 | 49 | 65 | PN10 | BSP |
| 04088 | 1 1/2" - 1 1/4" | 39 | 26 | 19 | 51 | 65 | PN10 | BSP |
| 04089 | 2" - 3/4" | 47 | 27 | 15 | 46 | 78 | PN10 | BSP |
| 04090 | 2" - 1" | 49 | 27 | 17 | 49 | 78 | PN10 | BSP |




ITEM 120 | Female-male reducing

| | | | | | | | | |
|-------|---------------|----|----|----|----|----|-------------|-----|
| 04091 | 2" - 1 1/4" | 51 | 27 | 19 | 49 | 78 | PN10 | BSP |
| 04092 | 2" - 1 1/2" | 59 | 27 | 23 | 53 | 78 | PN10 | BSP |
| 04093 | 2 1/2"-1" | 72 | 31 | 28 | 54 | 94 | PN10 | BSP |
| 04094 | 2 1/2"-1 1/4" | 74 | 31 | 19 | 55 | 94 | PN10 | BSP |
| 04095 | 2 1/2"-1 1/2" | 77 | 31 | 24 | 59 | 94 | PN10 | BSP |
| 04096 | 2 1/2"-2" | 83 | 31 | 25 | 61 | 94 | PN10 | BSP |



Product Documents



Product Certificates



Company Certificates

