



PVC pressure fittings

Rubber ring reducing tee- female thread ITEM 03S



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	contenido.peso bruto	Unidades lote
1002516	TE JUNTA ELÁST. RED. R/H 63-3/4"	0.631	0.02243	5.41	8
1002517	TE JUNTA ELÁST. RED. R/H 75-3/4"	0.970	0.02243	4.24	4
1002518	TE JUNTA ELÁST. RED. R/H 90-3/4"	1.395	0.02243	3.15	2
1002520	TE JUNTA ELÁST. RED. R/H 63-1"	0.620	0.02243	5.45	8
1002521	TE JUNTA ELÁSTICA. RED R/HEMBRA 75-1"	0.946	0.02243	4.27	4
1002522	TE JUNTA ELÁSTICA. RED R/HEMBRA 90-1"	1.380	0.01553	3.09	2



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es




ITEM 03S | Rubber ring reducing tee-female thread

CÓDIGO	A-r	PESO (g)	B	C	c	H	Z	L	PN	ROSCA
02516	63-3/4"	585	92	100	19	65	35	270	PN10	BSP
02517	75-3/4"	895	109	104	19	72	40	288	PN10	BSP
02518	90-3/4"	1475	127	109	19	78	50	318	PN10	BSP
02520	63-1"	580	92	100	21	65	35	270	PN10	BSP
02521	75-1"	890	109	104	21	72	40	288	PN10	BSP
02522	90-1"	1470	127	109	21	78	50	318	PN10	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es