




## PVC-U pressure fittings

# Union, plain socket - female thread socket, solvent socket outlet - with O-ring

## ITEM 082



REFERENCE	DESCRIPTION	Net weight	Volumen (m <sup>3</sup> )	Gross weight	Unidades lote
1002084	UNION MALE /MALE W/O-RING 3/4"-25	0,0763	0,00870	2,477	30
1002085	UNION MALE /MALE W/O-RING 1"-32	0,110108	0,00892	2,83	24
1002086	UNION,PLAIN SOCK./M. THR. W/RING 1 1/4"-40	0,185971	0,01553	4,79	24
1002087	UNION,PLAIN SOCK./M. THR. W/RING 1 1/2"-40	0,2469	0,03682	15,405	60
1002088	UNION,PLAIN SOCK./M. THR. W/RING 1 1/2"-50	0,237	0,04717	14,86	60
1002089	UNION,PLAIN SOCK./M. THR. W/RING 2"-50	0,423	0,03129	10,725	24
1002090	UNION,PLAIN SOCK./M. THR. W/RING 2"-63	0,4034	0,03129	10,342	24
1002091	UNION,PLAIN SOCK./M. THR. W/RING 2 1/2"-75	0,674227	0,04460	15,493	22



## ITEM 082 | Union, plain socket - female thread socket, solvent socket outlet - with O-ring

Codigo	a-A	Peso (g)	B	b	C	D	PN	ROSCA
02084	3/4" - 25	64	19	16	51	64	PN10	BSP
02085	1" - 32	101	22	19	62	72	PN10	BSP
02086	1 1/4" - 40	184	26	21	74	89	PN10	BSP
02087	1 1/2" - 40	244	26	21	80	93	PN10	BSP
02088	1 1/2" - 50	233	31	21	80	98	PN10	BSP
02089	2" - 50	434	31	26	99	115	PN10	BSP
02090	2" - 63	420	38	26	99	120	PN10	BSP
02091	2 1/2" - 75	630	44	30	120	135	PN10	BSP



## Product Documents



## Product Certificates



## Company Certificates

