



## PP Compression Fittings

# Enlace recto mixto - hembra

## ITEM 477

| REFERENCIA | DESCRIPCIÓN                          | Peso neto | Volumen (m <sup>3</sup> ) | Peso bruto | Unidades lote |
|------------|--------------------------------------|-----------|---------------------------|------------|---------------|
| 112E046    | ENLACE RECTO M/HEMBRA 20-1/2" GRIS   | 0,052     | 0,02244                   | 5,74       | 100           |
| 112E047    | ENLACE RECTO M/HEMBRA 25-3/4" GRIS   | 0,081     | 0,03129                   | 8,66       | 100           |
| 112E048    | ENLACE RECTO M/HEMBRA 32-1" GRIS     | 0,120651  | 0,04460                   | 12,795     | 100           |
| 112E049    | ENLACE RECTO M/HEMBRA 40-1 1/4" GRIS | 0,213     | 0,04460                   | 12,758     | 56            |
| 112E050    | ENLACE RECTO M/HEMBRA 50-1 1/2" GRIS | 0,31248   | 0,04460                   | 13,165     | 40            |
| 112E051    | ENLACE RECTO M/HEMBRA 63-2" GRIS     | 0,551     | 0,06150                   | 16,408     | 28            |
| 112E053    | ENLACE RECTO M/HEMBRA 25-1/2" GRIS   | 0,085     | 0,03129                   | 9,073      | 100           |
| 112E055    | ENLACE RECTO M/HEMBRA 32-3/4" GRIS   | 0,125     | 0,04460                   | 13,23      | 100           |





## ITEM 477 | Enlace recto mixto - hembra

| Código | f tubo      | Peso (g) | A  | B   | C   | D  | PN   | TIPO ROSCA |
|--------|-------------|----------|----|-----|-----|----|------|------------|
| 12E046 | 20 - 1/2"   | 54       | 21 | 46  | 75  | 18 | PN16 | BSP        |
| 12E053 | 25 - 1/2"   | 82       | 26 | 55  | 83  | 18 | PN16 | BSP        |
| 12E047 | 25 - 3/4"   | 79       | 26 | 55  | 83  | 21 | PN16 | BSP        |
| 12E055 | 32 - 3/4"   | 122      | 33 | 63  | 92  | 21 | PN16 | BSP        |
| 12E048 | 32 - 1"     | 117      | 33 | 63  | 92  | 23 | PN16 | BSP        |
| 12E049 | 40 - 1 1/4" | 196      | 42 | 76  | 111 | 25 | PN16 | BSP        |
| 12E050 | 50 - 1 1/2" | 289      | 51 | 91  | 118 | 25 | PN16 | BSP        |
| 12E051 | 63 - 2"     | 509      | 64 | 109 | 140 | 29 | PN16 | BSP        |
| 12E144 | 75 - 2 1/2" | 902      | 77 | 133 | 169 | 34 | PN10 | BSP        |
| 12E145 | 90 - 3"     | 1494     | 92 | 159 | 204 | 38 | PN10 | BSP        |



## ITEM 477 | Enlace recto mixto - hembra

12E146

110 - 4"

2064

112

183

231

50

PN10

BSP



## Documentación de Producto



## Certificados de Producto

## Certificados de Empresa

