




Válvulas de bola 'Basic' bidireccional Salida mixta actuador eléctrico - PTFE ITEM 654



| REFERENCIA | DESCRIPCIÓN | Peso neto | Volumen (m ³) | contenido.peso bruto | Unidades lote |
|------------|--|-----------|---------------------------|----------------------|---------------|
| 111D329 | V.BOLA BIDIREC. ACT.ELEC.S/MIXTA 20-1/2" | 1.216 | 0.03648 | 1.80 | 1 |
| 111D330 | V.BOLA BIDIREC. ACT.ELEC.S/MIXTA 25-3/4" | 1.272 | 0.03648 | 1.86 | 1 |
| 111D331 | V.BOLA BIDIREC. ACT.ELEC.S/MIXTA 32-1" | 1.445 | 0.03648 | 2.03 | 1 |
| 111D332 | V.BOLA BIDIREC. ACT.ELEC.S/MIXTA 40-1 1/4" | 2.600 | 0.03648 | 3.19 | 1 |
| 111D333 | V.BOLA BIDIREC. ACT.ELEC.S/MIXTA 50-1 1/2" | 2.975 | 0.04460 | 3.64 | 1 |
| 111D334 | V.BOLA BIDIREC. ACT.ELEC.S/MIXTA 63-2" | 3.522 | 0.04460 | 4.19 | 1 |
| 111D335 | V.BOLA BIDIREC. ACT.ELEC.S/MIXTA 75-2 1/2" | 4.693 | 0.02243 | 0.00 | 1 |
| 111D336 | V.BOLA BIDIREC. ACT.ELEC.S/MIXTA 90-3" | 6.693 | 0.04460 | 7.39 | 1 |




ITEM 654 | Salida mixta actuador eléctrico - PTFE

| CÓDIGO | f - r | Actuador | PESO (g) | DN | A | B | C | D | E | F | G | PN | TIPO ROSCA |
|--------|-----------|----------|----------|----|-----|-----|----|-----|-----|-----|----|------|------------|
| 11D329 | 20-1/2" | H10 | 1084.8 | 15 | 86 | 55 | 16 | 227 | 177 | 44 | 17 | PN16 | BSP |
| 11D330 | 25-3/4" | H10 | 1128.92 | 20 | 99 | 62 | 19 | 232 | 177 | 49 | 20 | PN16 | BSP |
| 11D331 | 32-1" | H10 | 1262.25 | 25 | 122 | 72 | 23 | 243 | 177 | 66 | 23 | PN16 | BSP |
| 11D332 | 40-1 1/4" | H20 | 2121 | 32 | 131 | 88 | 25 | 265 | 177 | 71 | 26 | PN16 | BSP |
| 11D333 | 50-1 1/2" | H20 | 2413.92 | 40 | 155 | 103 | 31 | 282 | 177 | 75 | 33 | PN16 | BSP |
| 11D334 | 63-2" | H20 | 2934.4 | 50 | 180 | 120 | 38 | 390 | 177 | 89 | 29 | PN16 | BSP |
| 11D335 | 75-2 1/2" | H35 | 4580 | 65 | 202 | 150 | 45 | 401 | 177 | 119 | 33 | PN10 | BSP |
| 11D336 | 90-3" | H55 | 6690 | 80 | 245 | 181 | 51 | 450 | 177 | 140 | 36 | PN10 | BSP |



Documentación de Producto



Certificados de Producto

Certificados de Empresa

