




## Válvulas de bola 'Basic'

# Salida termofusión - FPM - Sistema Basic ITEM 697

| REFERENCIA | DESCRIPCIÓN                    | Peso<br>neto | Volumen<br>(m³) | Peso<br>bruto | Unidades<br>lote |
|------------|--------------------------------|--------------|-----------------|---------------|------------------|
| 1011720    | VALVULA ENLACE S/TERMO 20 FPM  | 0,155        | 0,01553         | 6,44          | 40               |
| 1011721    | VALVULA ENLACE S/TERMO 25 FPM  | 0,194        | 0,03129         | 8,3           | 40               |
| 1011722    | VALVULA ENLACE S/TERMO 32 FPM  | 0,312        | 0,03129         | 9,92          | 30               |
| 1011723    | VALVULA ENLACE S/TERMO 40 FPM  | 0,538        | 0,03648         | 11,32         | 20               |
| 1011724    | VALVULA ENLACE S/TERMO 50 FPM  | 0,782        | 0,03129         | 12,29         | 15               |
| 1011725    | VALVULA ENLACE S/TERMO 63 FPM  | 1,218        | 0,03682         | 12,83         | 10               |
| 1011726    | VALVULA ENLACE S/TERMO 75 FPM  | 2,64         | 0,04717         | 11,12         | 4                |
| 1011727    | VALVULA ENLACE S/TERMO 90 FPM  | 4,21         | 0,04717         | 9,18          | 2                |
| 1011728    | VALVULA ENLACE S/TERMO 110 FPM | 6,07         | 0,04460         | 12,98         | 2                |





## ITEM 697 | Salida termofusión - FPM - Sistema Basic

| CÓDIGO | Ø   | PESO (g) | DN  | A   | B   | C   | D   | E   | PN   | MEDIDA  |
|--------|-----|----------|-----|-----|-----|-----|-----|-----|------|---------|
| 11720  | 20  | 155      | 15  | 215 | 52  | 65  | 78  | 47  | PN16 | MÉTRICO |
| 11721  | 25  | 194      | 20  | 222 | 59  | 62  | 84  | 51  | PN16 | MÉTRICO |
| 11722  | 32  | 312      | 25  | 221 | 70  | 45  | 97  | 66  | PN16 | MÉTRICO |
| 11723  | 40  | 538      | 32  | 260 | 84  | 63  | 128 | 72  | PN16 | MÉTRICO |
| 11724  | 50  | 782      | 40  | 287 | 99  | 79  | 142 | 77  | PN16 | MÉTRICO |
| 11725  | 63  | 1218     | 50  | 328 | 121 | 89  | 165 | 90  | PN16 | MÉTRICO |
| 11726  | 75  | 2640     | 65  | 366 | 151 | 95  | 222 | 121 | PN10 | MÉTRICO |
| 11727  | 90  | 4210     | 80  | 397 | 175 | 97  | 244 | 141 | PN10 | MÉTRICO |
| 11728  | 110 | 6070     | 100 | 435 | 210 | 102 | 307 | 155 | PN10 | MÉTRICO |





## Documentación de Producto



## Certificados de Producto

## Certificados de Empresa



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención  
Técnica comercial  
+ 34 966 105 888



www.hidroten.es