



## Válvulas de bola tres vías 'Security'

# SALIDA ENCOLAR - FPM

## ITEM 853

| REFERENCIA | DESCRIPCIÓN                              | Peso neto | Volumen (m <sup>3</sup> ) | Peso bruto | Unidades lote |
|------------|--|-----------|---------------------------|------------|---------------|
| 111V103    | VALVULA ENLACE 3 VIAS L S/ENC 32 FPM     | 0,715     | 0,03129                   | 3,9939     | 4             |
| 111V105    | VALVULA ENLACE 3 VIAS L S/ENC 50 FPM     | 1,73      | 0,04460                   | 5,31       | 2             |
| 111V106    | VALVULA ENLACE 3 VIAS L S/ENC 63 FPM     | 2,4697    | 0,04460                   | 6,4143     | 2             |
| 111V107    | VALVULA ENLACE 3 VIAS L S/ENC 75 FPM     | 4,8488    | 0,03892                   | 5,9738     | 1             |
| 111V143    | VALVULA ENLACE 3 VIAS T S/ENCOLAR 32 FPM | 0,708     | 0,03129                   | 3,9659     | 4             |
| 111V145    | VALVULA ENLACE 3 VIAS T S/ENCOLAR 50 FPM | 1,6154    | 0,04460                   | 4,7057     | 2             |
| 111V146    | VALVULA ENLACE 3 VIAS T S/ENCOLAR 63 FPM | 2,4697    | 0,04460                   | 6,4143     | 2             |
| 111V147    | VALVULA ENLACE 3 VIAS T S/ENCOLAR 75 FPM | 4,8488    | 0,03892                   | 5,9738     | 1             |
| 111V824    | V.ENL 3 VIAS L S/E 40 FPM                | 0         | 0,04460                   | 0          | 2             |
| 111V828    | V.ENL 3 VIAS L S/E 90 FPM                | 5,141     | 0,03892                   | 5,99       | 1             |
| 111V834    | V.ENL 3 VIAS T S/E 40 FPM                | 0         | 0,04460                   | 0          | 2             |
| 111V838    | V.ENL 3 VIAS T S/E 90 FPM                | 5,2904    | 0,03892                   | 6,169      | 1             |





## ITEM 853 | SALIDA ENCOLAR - FPM

| VITON  | f  | PESO (g) | DN | Modelo | A      | B   | C  | D   | E   | PN   | MEDIDA  |
|--------|----|----------|----|--------|--------|-----|----|-----|-----|------|---------|
| 11V103 | 32 | 712      | 25 | L      | 160    | 72  | 22 | 121 | 114 | PN16 | MÉTRICO |
| 11V824 | 40 | =C5-9    | 40 | L      | 214    | 103 | 26 | 155 | 140 | PN16 | MÉTRICO |
| 11V105 | 50 | 1653     | 40 | L      | 216    | 103 | 31 | 155 | 140 | PN16 | MÉTRICO |
| 11V106 | 63 | 2549     | 50 | L      | 251    | 120 | 38 | 172 | 140 | PN16 | MÉTRICO |
| 11V107 | 75 | 5008     | 65 | L      | 308    | 150 | 45 | 218 | 160 | PN10 | MÉTRICO |
| 11V828 | 90 | =C7+309  | 65 | L      | =F7+24 | 150 | 51 | 218 | 160 | PN10 | MÉTRICO |
| 11V143 | 32 | 708      | 25 | T      | 160    | 72  | 22 | 121 | 114 | PN16 | MÉTRICO |
| 11V834 | 40 | =C11-9   | 40 | T      | 214    | 103 | 26 | 155 | 140 | PN16 | MÉTRICO |
| 11V145 | 50 | 1643     | 40 | T      | 216    | 103 | 31 | 155 | 140 | PN16 | MÉTRICO |
| 11V146 | 63 | 2531     | 50 | T      | 251    | 120 | 38 | 172 | 140 | PN16 | MÉTRICO |



## ITEM 853 | SALIDA ENCOLAR - FPM

|        |    |          |    |   |         |     |    |     |     |      |         |
|--------|----|----------|----|---|---------|-----|----|-----|-----|------|---------|
| 11V147 | 75 | 4968     | 65 | T | 308     | 150 | 45 | 218 | 160 | PN10 | MÉTRICO |
| 11V838 | 90 | =C13+309 | 65 | T | =F13+24 | 150 | 51 | 218 | 160 | PN10 | MÉTRICO |



## Documentación de Producto



## Certificados de Producto

## Certificados de Empresa

