




## Evacuation

# Insert de sécurité

## ITEM 39E

| RÉFÉRENCE | DESCRIPTION                  | Poids net | Volume (m³) | Poids brut | Unités par lot |
|-----------|------------------------------|-----------|-------------|------------|----------------|
| 1050201   | INJERTO SEGURIDAD 90/40      | 0,10998   | 0,02243     | 5,956      | 50             |
| 1050202   | INJERTO SEGURIDAD 90/50      | 0,07842   | 0,02243     | 4,38       | 50             |
| 1050203   | INJERTO SEGURIDAD 110-125/40 | 0         | 0,02243     | 0          | 50             |
| 1050204   | INJERTO SEGURIDAD 110-125/50 | 0,076     | 0,02243     | 3,105      | 50             |





## ITEM 39E | Insert de sécurité

| Código | Ø tubo  | A  | B  | C  | D  | PN  | MEDIDA  |
|--------|---------|----|----|----|----|-----|---------|
| 50201  | 90      | 40 | 51 | 74 | 29 | PN0 | MÉTRICO |
| 50202  | 90      | 50 | 51 | 74 | 29 | PN0 | MÉTRICO |
| 50203  | 110-125 | 40 | 44 | 78 | 33 | PN0 | MÉTRICO |
| 50204  | 110-125 | 50 | 44 | 78 | 33 | PN0 | MÉTRICO |





## Documentation Produit

## Certifications de produits

### Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es