




## PP compression fittings

# Raccord droit fileté

## ITEM 476

| RÉFÉRENCE | DESCRIPTION                        | Poids net | Volume (m <sup>3</sup> ) | Poids brut | Unités par lot |
|-----------|------------------------------------|-----------|--------------------------|------------|----------------|
| 112E037   | UNION DROIT FILETEE 20-1/2" GRIS   | 0,04724   | 0,01553                  | 5,051      | 100            |
| 112E038   | UNION DROIT FILETEE 25-3/4" GRIS   | 0,0748    | 0,03129                  | 8,052      | 100            |
| 112E039   | UNION DROIT FILETEE 32-1" GRIS     | 0,11104   | 0,04460                  | 11,798     | 100            |
| 112E040   | UNION DROIT FILETEE 40-1 1/4" GRIS | 0,1835    | 0,04460                  | 10,87      | 56             |
| 112E041   | UNION DROIT FILETEE 50-1 1/2" GRIS | 0,294628  | 0,04460                  | 12,515     | 40             |
| 112E042   | UNION DROIT FILETEE 63-2" GRIS     | 0,51      | 0,06150                  | 15,2       | 28             |
| 112E043   | UNION DROIT FILETEE 75-2 1/2" GRIS | 0,842     | 0,03682                  | 9,04       | 10             |
| 112E044   | UNION DROIT FILETEE 90-3" GRIS     | 1,3854    | 0,03129                  | 7,5        | 5              |
| 112E045   | UNION DROIT FILETEE 110-4" GRIS    | 1,965     | 0,02244                  | 4,47       | 2              |
| 112E236   | ENLACE RECTO M/MACHO 20-3/4" GRIS  | 0,065     | 0,01553                  | 6,83       | 100            |
| 112E237   | ENLACE RECTO M/MACHO 25-1/2" GRIS  | 0         | 0,03129                  | 0          | 100            |
| 112E238   | ENLACE RECTO M/MACHO 25-1" GRIS    | 0,076     | 0,03129                  | 8,16       | 100            |
| 112E239   | ENLACE RECTO M/MACHO 32-3/4" GRIS  | 0,11      | 0,03648                  | 11,7       | 100            |
| 112E241   | ENLACE RECTO M/MACHO 50-2" GRIS    | 0,327525  | 0,04460                  | 13,795     | 40             |
| 112E246   | ENLACE RECTO M/MACHO 75-2" GRIS    | 0,8391    | 0,03682                  | 8,9402     | 10             |





## ITEM 476 | Raccord droit fileté

| Código | f tubo - F  | Peso (g) | A  | B  | C  | D        | E  | PN   | TIPO ROSCA |
|--------|-------------|----------|----|----|----|----------|----|------|------------|
| 12E037 | 20 - 1/2"   | 45       | 21 | 46 | 61 | =F3+H3   | 14 | PN16 | BSP        |
| 12E236 | 20 - 3/4"   | 65       | 21 | 46 | 61 | 77       | 16 | PN16 | BSP        |
| 12E237 | 25 - 1/2"   | 72       | 26 | 66 | 66 | 80       | 14 | PN16 | BSP        |
| 12E038 | 25 - 3/4"   | 75       | 26 | 55 | 66 | =F6+H6   | 16 | PN16 | BSP        |
| 12E238 | 25 - 1"     | 80       | 26 | 55 | 66 | =F7+H7   | 19 | PN16 | BSP        |
| 12E239 | 32 - 3/4"   | 102      | 33 | 64 | 73 | =F8+H8   | 16 | PN16 | BSP        |
| 12E039 | 32 - 1"     | 107      | 33 | 64 | 73 | =F9+H9   | 19 | PN16 | BSP        |
| 12E040 | 40 - 1 1/4" | 171      | 42 | 76 | 91 | =F10+H10 | 20 | PN16 | BSP        |
| 12E041 | 50 - 1 1/2" | 272      | 51 | 91 | 97 | =F11+H11 | 21 | PN16 | BSP        |
| 12E241 | 50 - 2"     | 280      | 51 | 91 | 97 | 122      | 25 | PN16 | BSP        |





## ITEM 476 | Raccord droit fileté

|        |             |      |     |     |     |          |    |             |     |
|--------|-------------|------|-----|-----|-----|----------|----|-------------|-----|
| 12E042 | 63 - 2"     | 434  | 64  | 109 | 114 | =F13+H13 | 25 | <b>PN16</b> | BSP |
| 12E246 | 75 - 2"     | 794  | 77  | 133 | 139 | 164      | 25 | <b>PN10</b> | BSP |
| 12E043 | 75 - 2 1/2" | 806  | 77  | 133 | 139 | =F15+H15 | 30 | <b>PN10</b> | BSP |
| 12E044 | 90 - 3"     | 1378 | 92  | 159 | 169 | =F16+H16 | 37 | <b>PN10</b> | BSP |
| 12E045 | 110 - 4"    | 1965 | 112 | 183 | 182 | =F17+H17 | 40 | <b>PN10</b> | BSP |





## Documentation Produit



## Certifications de produits

## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



[www.hidroten.es](http://www.hidroten.es)