




Vannes anti-retour à ressort

Sortie taraudée renforcée - pied - Joint EPDM ITEM 600

| RÉFÉRENCE | DESCRIPTION | Poids net | Volume (m ³) | Poids brut | Unités par lot |
|-----------|--------------------------------------|-----------|--------------------------|------------|----------------|
| 1016350 | V ANTIRET PIE EPDM S/ R/H REF 1/2" | 0,132 | 0,01553 | 5,36 | 40 |
| 1016351 | V ANTIRET PIE EPDM S/ R/H REF 3/4" | 0,195 | 0,02244 | 6,98 | 40 |
| 1016352 | V ANTIRET PIE EPDM S/ R/H REF 1" | 0,302 | 0,02244 | 8,46 | 30 |
| 1016353 | V ANTIRET PIE EPDM S/ R/H REF 1 1/4" | 0,462 | 0,03129 | 9,56 | 20 |
| 1016354 | V ANTIRET PIE EPDM S/ R/H REF 1 1/2" | 0,682 | 0,02244 | 8,724 | 12 |
| 1016355 | V ANTIRET PIE EPDM S/ R/H REF 2" | 1,107 | 0,02244 | 13,44 | 12 |
| 1016356 | V ANTIRET PIE EPDM S/ R/H REF 2 1/2" | 2,13 | 0,03129 | 9,135 | 4 |
| 1016357 | V ANTIRET PIE EPDM S/ R/H REF 3" | 3,343 | 0,03129 | 8,17 | 2 |





ITEM 600 | Sortie taraudée renforcée - pied - Joint EPDM

| Código EPDM | A | Peso | B | C | D | PN | TIPO ROSCA |
|-------------|--------|------|-----|----|-----|------|------------|
| 16350 | 1/2" | 137 | 52 | 16 | 106 | PN16 | BSP |
| 16351 | 3/4" | 175 | 59 | 17 | 118 | PN16 | BSP |
| 16352 | 1" | 285 | 69 | 21 | 147 | PN16 | BSP |
| 16353 | 1 1/4" | 462 | 85 | 23 | 164 | PN16 | BSP |
| 16354 | 1 1/2" | 700 | 99 | 31 | 175 | PN16 | BSP |
| 16355 | 2" | 1096 | 116 | 38 | 200 | PN16 | BSP |
| 16356 | 2 1/2" | 2425 | 150 | 44 | 260 | PN10 | BSP |
| 16357 | 3" | 4150 | 178 | 52 | 303 | PN10 | BSP |





Documentation Produit



Certifications de produits

Certificats d'entreprise

