




Vannes à boisseau 'Basic'

Cuerpo V.E actuador eléctrico 220v. - PTFE ITEM 260



RÉFÉRENCE	DESCRIPTION	Poids net	Volume (m ³)	contenido.peso bruto	Unités par lot
1011559	C.V ENLACE MOTOR ACTU 220v 20	1.483	0.01553	1.72	1
1011560	C.V ENLACE MOTOR ACTU 220v 25	1.501	0.02244	2.04	1
1011561	C.V ENLACE MOTOR ACTU 220v 32	1.599	0.03129	2.16	1
1011562	C.V ENLACE MOTOR ACTU 220v 40	1.724	0.03129	2.28	1
1011563	C.V ENLACE MOTOR ACTU 220v 50	2.111	0.03129	2.67	1
1011564	C.V ENLACE MOTOR ACTU 220v 63	2.661	0.03648	3.36	1
1011565	C.V ENLACE MOTOR ACTU 220v 75	3.491	0.04460	4.33	1
1011566	C.V ENLACE MOTOR ACTU 220v 90	4.259	0.04460	5.10	1
1011567	C.V ENLACE MOTOR ACTU 220v 110	6.575	0.04460	7.31	1
1011568	C.V ENLACE MOTOR ACTU 220v 125	6.285	0.04460	7.13	1





ITEM 260 | Cuerpo V.E actuador eléctrico 220v. - PTFE

CÓDIGO	f tubo	PESO (g)	DN	Actuador	A	B	PN	MEDIDA
11559	20	1483	15	H10	47	227	PN16	MÉTRICO
11560	25	1501	20	H10	51	232	PN16	MÉTRICO
11561	32	1599	25	H10	66	243	PN16	MÉTRICO
11562	40	1724	32	S20	72	265	PN16	MÉTRICO
11563	50	2111	40	S20	77	282	PN16	MÉTRICO
11564	63	2661	50	S20	90	352	PN16	MÉTRICO
11565	75	3491	65	S35	121	426	PN10	MÉTRICO
11566	90	4259	80	S55	141	453	PN10	MÉTRICO
11567	110	6575	100	S55	155	477	PN10	MÉTRICO
11568	125	6285	113	S85	161	500	PN10	MÉTRICO





ITEM 260 | Cuerpo V.E actuador eléctrico 220v. - PTFE



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es



Documentation Produit



Certifications de produits



Certificats d'entreprise

