



Vannes à boisseau 'Basic'

Sortie mixte, bloc de sécurité moteur électrique 220V - PTFE ITEM 257



| RÉFÉRENCE | DESCRIPTION | Poids net | Volume (m ³) | Poids brut | Unités par lot |
|-----------|--|-----------|--------------------------|------------|----------------|
| 1011349 | V. SHER A/MOT ELEC,B/S,S/MIXTE 20-1/2" | 1,75 | 0,01553 | 1,99 | 1 |
| 1011350 | V. SHER A/MOT ELEC,B/S,S/MIXTE 25-3/4" | 1,798 | 0,02244 | 2,338 | 1 |
| 1011351 | V. SHER A/MOT ELEC,B/S,S/MIXTE 32-1" | 1,939 | 0,03129 | 2,499 | 1 |
| 1011352 | V. SHER A/MOT ELEC,B/S,S/MIXTE 40-1 1/4" | 2,172 | 0,03129 | 2,732 | 1 |
| 1011353 | V. SHER A/MOT ELEC,B/S,S/MIXTE 50-1 1/2" | 2,421 | 0,03129 | 2,981 | 1 |
| 1011354 | V. SHER A/MOT ELEC,B/S,S/MIXTE 63-2" | 3,323 | 0,03648 | 4,023 | 1 |
| 1011355 | V. SHER A/MOT ELEC,B/S,S/MIXTE 75-2 1/2" | 4,928 | 0,04460 | 5,768 | 1 |
| 1011356 | V. SHER A/MOT ELEC,B/S,S/MIXTE 90-3" | 6,37 | 0,04460 | 7,21 | 1 |
| 1011357 | V. SHER A/MOT ELEC,B/S,S/MIXTE 110-4" | 8,3889 | 0,04460 | 9,229 | 1 |





ITEM 257 | Sortie mixte, bloc de sécurité moteur électrique 220V - PTFE

| CÓDIGO | A - r | PESO (g) | DN | Actuador | B | b | C | D | E | F | G | PN | TIPO ROSCA |
|--------|-----------|----------|-----|----------|----|----|-----|-----|-----|-----|-----|------|------------|
| 11349 | 20-1/2" | 1750 | 15 | S20 | 16 | 17 | 52 | 47 | 89 | 227 | 177 | PN16 | BSP |
| 11350 | 25-3/4" | 1798 | 20 | S20 | 19 | 20 | 59 | 51 | 99 | 232 | 177 | PN16 | BSP |
| 11351 | 32-1" | 1939 | 25 | S20 | 23 | 23 | 70 | 66 | 119 | 243 | 177 | PN16 | BSP |
| 11352 | 40-1 1/4" | 2172 | 32 | S20 | 25 | 26 | 84 | 72 | 133 | 265 | 177 | PN16 | BSP |
| 11353 | 50-1 1/2" | 2421 | 40 | S20 | 31 | 33 | 99 | 77 | 151 | 282 | 177 | PN16 | BSP |
| 11354 | 63-2" | 3323 | 50 | S20 | 38 | 29 | 121 | 90 | 167 | 352 | 177 | PN16 | BSP |
| 11355 | 75-2 1/2" | 4928 | 65 | S35 | 45 | 33 | 151 | 121 | 210 | 426 | 177 | PN10 | BSP |
| 11356 | 90-3" | 6370 | 80 | S55 | 51 | 36 | 175 | 141 | 245 | 450 | 177 | PN10 | BSP |
| 11357 | 110-4" | 8389 | 100 | S55 | 61 | 42 | 210 | 155 | 288 | 477 | 177 | PN10 | BSP |





Documentation Produit



Certifications de produits



Certificats d'entreprise



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es