




## Vannes à boisseau 'Basic'

# Sortie taraudée, moteur pneumatique simple effet - PFTE ITEM 254



RÉFÉRENCE	DESCRIPTION	Poids net	Volume (m <sup>3</sup> )	Poids brut	Unités par lot
1011219	V.SHER. PNEUMAT. S/EFFET S/TAR. 1/2"	2,354	0,01553	2,6807	1
1011220	V.SHER. PNEUMAT. S/EFFET S/TAR. 3/4"	2,394	0,02244	2,934	1
1011221	V.SHER. PNEUMAT. S/EFFET S/TAR. 1"	2,515	0,03129	3,075	1
1011222	V.SHER. PNEUMAT. S/EFFET S/TAR. 1 1/4"	2,74	0,03129	3,3	1
1011223	V.SHER. PNEUMAT. S/EFFET S/TAR. 1 1/2"	3,016	0,03129	3,576	1
1011224	V.SHER. PNEUMAT. S/EFFET S/TAR. 2"	4,204	0,03648	4,904	1
1011225	V.SHER. PNEUMAT. S/EFFET S/TAR. 2 1/2"	6,039	0,04460	6,879	1
1011226	V.SHER. PNEUMAT. S/EFFET S/TAR. 3"	7,735	0,04460	8,575	1
1011227	V.SHER. PNEUMAT. S/EFFET S/TAR. 4"	8,774	0,04460	9,614	1





## ITEM 254 | Sortie taraudée, moteur pneumatique simple effet - PTFE

CÓDIGO	r	PESO (g)	DN	Actuador	B	C	D	E	F	G	PN	TIPO ROSCA
11219	1/2"	2354	15	H050SE	17	52	47	91	211	138	PN16	BSP
11220	3/4"	2394	20	H050SE	20	59	51	101	219	138	PN16	BSP
11221	1"	2515	25	H050SE	23	70	66	120	230	138	PN16	BSP
11222	1 1/4"	2740	32	H063SE	26	84	72	134	249	156	PN16	BSP
11223	1 1/2"	3016	40	H063SE	33	99	77	153	267	156	PN16	BSP
11224	2"	4204	50	H063SE	29	121	90	161	352	156	PN16	BSP
11225	2 1/2"	6039	65	H075SE	33	151	121	204	426	210	PN10	BSP
11226	3"	7735	80	H100SE	36	175	141	234	450	281	PN10	BSP
11227	4"	8774	100	H100SE	42	210	155	267	477	281	PN10	BSP





## Documentation Produit



## Certifications de produits



## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es