




## Vannes boisseau 'compact'

# Sortie fitting-taraudé PTFE

## ITEM 716

| RÉFÉRENCE | DESCRIPTION                   | Poids net | Volume (m <sup>3</sup> ) | Poids brut | Unités par lot |
|-----------|-------------------------------|-----------|--------------------------|------------|----------------|
| 111C060   | V.COMPACT FITTING-R/H 20-1/2" | 0,1552    | 0,01553                  | 3,431      | 20             |
| 111C061   | V.COMPACT FITTING-R/H 25-3/4" | 0,202     | 0,01553                  | 4,37       | 20             |
| 111C062   | V.COMPACT FITTING-R/H 32-1"   | 0,294987  | 0,02244                  | 4,95       | 15             |





## ITEM 716 | Sortie fitting-taraudé PTFE

| CÓDIGO | d-r     | DN | PESO (g) | A   | B  | C  | F   | PN   | TIPO ROSCA |
|--------|---------|----|----------|-----|----|----|-----|------|------------|
| 11C060 | 20-1/2" | 15 | 155      | 121 | 48 | 17 | 80  | PN10 | BSP        |
| 11C061 | 25-3/4" | 20 | 202      | 134 | 53 | 21 | 80  | PN10 | BSP        |
| 11C062 | 32-1"   | 25 | 295      | 152 | 59 | 23 | 101 | PN10 | BSP        |





## Documentation Produit



## Certifications de produits

## Certificats d'entreprise

