




3-Way ball valve

SOLVENT SOCKET OUTLET - SINGLE ACTING PNEUMATIC ACTUATOR - VITON ITEM 869



REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	contenido.peso bruto	Unidades lote
111V583	VÁLVULA BOLA 3 VÍAS ACTUADOR NEUMATICO S/E MODELO "L" S/ENC 32 VITON	0.000	0.04460	0.00	1
111V585	VÁLVULA BOLA 3 VÍAS ACTUADOR NEUMATICO S/E MODELO "L" S/ENC 50 VITON	3.415	0.04460	4.08	1
111V586	VÁLVULA BOLA 3 VÍAS ACTUADOR NEUMATICO S/E MODELO "L" S/ENC 63 VITON	5.370	0.04460	6.04	1
111V587	VÁLVULA BOLA 3 VÍAS ACTUADOR NEUMATICO S/E MODELO "L" S/ENC 75 VITON	10.649	0.06149	11.49	1
111V623	VÁLVULA BOLA 3 VÍAS ACTUADOR NEUMATICO S/E MODELO "T" S/ENC 32 VITON	0.000	0.04460	0.00	1
111V625	VÁLVULA BOLA 3 VÍAS ACTUADOR NEUMATICO S/E MODELO "T" S/ENC 50 VITON	3.415	0.04460	4.08	1
111V626	VÁLVULA BOLA 3 VÍAS ACTUADOR NEUMATICO S/E MODELO "T" S/ENC 63 VITON	5.370	0.04460	6.04	1
111V627	VÁLVULA BOLA 3 VÍAS ACTUADOR NEUMATICO S/E MODELO "T" S/ENC 75 VITON	10.649	0.06149	11.49	1
111V864	VÁLVULA BOLA 3 VÍAS ACTUADOR NEUMATICO S/E MODELO "L" S/ENC 40 DN40 VITON	0.000	0.04460	0.00	1
111V868	VÁLVULA BOLA 3 VÍAS ACTUADOR NEUMATICO S/E MODELO "L" S/ENC 90 DN65 VITON	0.000	0.06149	0.00	1
111V874	VÁLVULA BOLA 3 VÍAS ACTUADOR NEUMATICO S/E MODELO "T" S/ENC 40 DN40 VITON	0.000	0.04460	0.00	1
111V878	VÁLVULA BOLA 3 VÍAS ACTUADOR NEUMATICO S/E MODELO "T" S/ENC 90 DN65	0.000	0.06149	0.00	1





ITEM 869 | SOLVENT SOCKET OUTLET - SINGLE ACTING PNEUMATIC ACTUATOR - VITON

VITON	f	Actuador	PESO (g)	DN	Modelo	A	B	C	D	E	PN	MEDIDA
11V583	32	H050 SE	1912	25	L	160	72	22	183	138	PN16	MÉTRICO
11V864	40	H063 SE	=D5-9	40	L	214	103	26	233	156	PN16	MÉTRICO
11V585	50	H063 SE	3553	40	L	216	103	31	233	156	PN16	MÉTRICO
11V586	63	H075 SE	5919	50	L	251	120	38	267	210	PN16	MÉTRICO
11V587	75	H100 SE	11828	65	L	308	150	45	333	280	PN10	MÉTRICO
11V868	90	H100 SE	=D7+309	65	L	=G7+24	150	51	333	280	PN10	MÉTRICO
11V623	32	H050 SE	1908	25	T	160	72	22	183	138	PN16	MÉTRICO
11V874	40	H063 SE	=D11-9	40	T	214	103	26	233	156	PN16	MÉTRICO
11V625	50	H063 SE	3543	40	T	216	103	31	233	156	PN16	MÉTRICO
11V626	63	H075 SE	5901	50	T	251	120	38	267	210	PN16	MÉTRICO





Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 869 | SOLVENT SOCKET OUTLET - SINGLE ACTING PNEUMATIC ACTUATOR - VITON

11V627	75	H100 SE	11788	65	T	308	150	45	333	280	PN10	MÉTRICO
11V878	90	H100 SE	=D13+309	65	T	=G13+24	150	51	333	280	PN10	MÉTRICO





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es