




PVC-U pressure fittings

90° reducing cross compression fitting outlet ITEM 894

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1001800	90° RED. CROSS COMP. FITTING OUTLET 50-20-20-50	0,258	0,03129	5,74	20
1001801	90° RED. CROSS COMP. FITTING OUTLET 50-25-25-50	0,30585	0,03129	6,69	20
1001802	90° RED. CROSS COMP. FITTING OUTLET 63-20-20-63	0,38641	0,04717	8,37	20
1001803	90° RED. CROSS COMP. FITTING OUTLET 63-25-25-63	0,42541	0,04717	9,15	20
1001806	90° RED. CROSS COMP. FITTING OUTLET 90-32-32-90	1,1422	0,03648	6,305	5
1001807	90° RED. CROSS COMP. FITTING OUTLET 90-63-63-90	1,9248	0,06347	10,454	5






ITEM 894 | 90° reducing cross compression fitting outlet

CÓDIGO	A-a	PESO (g)	B	C	D	PN	MEDIDA
01800	50-20	210	60	88	114	PN16	MÉTRICO
01801	50-25	226	60	91	114	PN16	MÉTRICO
01802	63-20	320	76	95	141	PN16	MÉTRICO
01803	63-25	368	76	98	141	PN16	MÉTRICO
01806	90-32	1080	108	122	199	PN16	MÉTRICO
01807	90-63	1645	108	168	199	PN16	MÉTRICO



Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es