



'Basic' ball valves

BASIC BALL VALVE FEMALE - MALE SOLVENT SOCKET OUTLET PTFE ITEM 779



REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	contenido.peso bruto	Unidades lote
1011540	VÁLVULA DE BOLA BASIC ENCOLAR MACHO - ENCOLAR HEMBRA PTFE 20	0.153	0.02244	6.44	40
1011541	VÁLVULA DE BOLA BASIC ENCOLAR MACHO - ENCOLAR HEMBRA PTFE 25	0.193	0.02244	8.04	40
1011542	VÁLVULA DE BOLA BASIC ENCOLAR MACHO - ENCOLAR HEMBRA PTFE 32	0.322	0.03682	10.28	30
1011543	VÁLVULA DE BOLA BASIC ENCOLAR MACHO - ENCOLAR HEMBRA PTFE 40	0.556	0.03129	11.73	20
1011544	VÁLVULA DE BOLA BASIC ENCOLAR MACHO - ENCOLAR HEMBRA PTFE 50	0.810	0.03129	12.72	15
1011545	VÁLVULA DE BOLA BASIC ENCOLAR MACHO - ENCOLAR HEMBRA PTFE 63	1.263	0.04460	13.33	10



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 779 | BASIC BALL VALVE FEMALE - MALE SOLVENT SOCKET OUTLET PTFE

CÓDIGO	f	PESO (g)	DN	A	B	C	D	F	PN	MEDIDA
11540	20	153	15	95	52	16	78	47	PN16	MÉTRICO
11541	25	193	20	99	59	19	84	51	PN16	MÉTRICO
11542	32	322	25	130	70	23	97	66	PN16	MÉTRICO
11543	40	556	32	148	84	25	128	72	PN16	MÉTRICO
11544	50	810	40	165	99	31	142	77	PN16	MÉTRICO
11545	63	1263	50	191	121	38	165	90	PN16	MÉTRICO





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es