



'Basic' ball valves

Netvitc System® outlet PE

ITEM 730

REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	contenido.peso bruto	Unidades lote
111N005	V/ENLACE SALIDA NETVITC SYSTEM 63 PE	1.274	0.03682	13.24	10
111N006	V/ENLACE SALIDA NETVITC SYSTEM 75 PE	2.066	0.03129	8.76	4
111N007	V/ENLACE SALIDA NETVITC SYSTEM 90 PE	3.230	0.02244	6.89	2
111N008	V/ENLACE SALIDA NETVITC SYSTEM 110 PE	4.670	0.04460	5.34	1



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 730 | Netvitc System® outlet PE

CÓDIGO	f	PESO (g)	DN	Brida SNS	A	B	D	F	PN	MEDIDA
11N005	63	1273	50	63	162	121	165	90	PN16	MÉTRICO
11N006	75	2066	65	75	185	151	222	121	PN10	MÉTRICO
11N007	90	3230	80	90	242	175	244	141	PN10	MÉTRICO
11N008	110	4670	100	110	253	210	307	155	PN10	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es