



'Basic' ball valves


Plain/Threaded outlet - Double acting spring return actuator - PTFE 1

ITEM 259



REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	contenido.peso bruto	Unidades lote
1011369	V ENLACE ACT NEUMATICO D/E S MIXTA 20-1/2"	2.350	0.01553	2.59	1
1011370	V ENLACE ACT NEUMATICO D/E S MIXTA 25-3/4"	2.398	0.02244	2.94	1
1011371	V ENLACE ACT NEUMATICO D/E S MIXTA 32-1"	2.539	0.03129	3.08	1
1011372	V ENLACE ACT NEUMATICO D/E S MIXTA 40-1 1/4"	2.772	0.03129	3.31	1
1011373	V ENLACE ACT NEUMATICO D/E S MIXTA 50-1 1/2"	3.021	0.03129	3.56	1
1011374	V ENLACE ACT NEUMATICO D/E S MIXTA 63-2"	4.223	0.00891	4.92	1
1011375	V ENLACE ACT NEUMATICO D/E S MIXTA 75-2 1/2"	5.928	0.04460	6.77	1
1011376	V ENLACE ACT NEUMATICO D/E S MIXTA 90-3"	7.570	0.04460	8.41	1
1011377	V ENLACE ACT NEUMATICO D/E S MIXTA 110-4"	8.389	0.04460	8.93	1





ITEM 259 | Plain/Threaded outlet - Double acting spring return actuator - PTFE

C??DIGO	A - r	PESO (g)	DN	Actuador	B	b	C	D	E	F	PN	TIPO ROSCA
11369	20-1/2"	2350	15	H050SE	16	17	52	47	89	211	PN16	BSP
11370	25-3/4"	2398	20	H050SE	19	20	59	51	99	219	PN16	BSP
11371	32-1"	2539	25	H050SE	23	23	70	66	119	230	PN16	BSP
11372	40-1 1/4"	2772	32	H050SE	25	26	84	72	133	249	PN16	BSP
11373	50-1 1/2"	3021	40	H050SE	31	33	99	77	151	267	PN16	BSP
11374	63-2"	4223	50	H050SE	38	29	121	90	167	352	PN16	BSP
11375	75-2 1/2"	5928	65	H075SE	45	33	151	121	210	426	PN10	BSP
11376	90-3"	7570	80	H075SE	51	36	175	141	245	450	PN10	BSP
11377	110-4"	9290	100	H075SE	61	42	210	155	299	477	PN10	BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es