




'Basic' ball valves

Solvent socket outlet - PTFE - Basic System ITEM 207



REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	contenido.peso bruto	Unidades lote
1011150	V. ENLACE S/ENC 20 PTFE	0.160	0.01553	6.72	40
1011151	V. ENLACE S/ENC 25 PTFE	0.204	0.02244	8.64	40
1011152	V.ENLACE S/ENC 32 PTFE	0.353	0.03129	11.17	30
1011153	V. ENLACE S/ENC 40 PTFE	0.592	0.03129	12.42	20
1011154	V. ENLACE S/ENC 50 PTFE	0.849	0.03129	13.23	15
1011155	V.ENLACE S/ENC 63 PTFE	1.352	0.03682	14.14	10
1011156	V. ENLACE S/ENC 75 PTFE	2.692	0.03129	11.34	4
1011157	V. ENLACE S/ENC 90 PTFE	4.399	0.02244	9.29	2
1011158	V E. SIST IMPLEX S/ENC 110 PTFE	6.531	0.04460	13.79	2
1011194	V. ENLACE S/ENC 63-75 PTFE	1.342	0.03682	14.04	10
1011195	V. ENLACE S/ENC 75-90 PTFE	2.810	0.03129	11.80	4
1011196	V. ENLACE S/ENC 90-110 PTFE	4.709	0.02244	9.91	2
1011197	V E SIST IMPLEX S/ENC 125 DN100 PTFE	6.240	0.03682	6.86	1
1011198	V E SIST IMPLEX S/ENC 140 DN100 PTFE	6.560	0.03682	7.18	1
1011883	V.E SIS GAT S/BRIDAS 160 DN150 PTFE	18.460	0.13096	19.25	1





ITEM 207 | Solvent socket outlet - PTFE - Basic System

CÓDIGO	f	DN	PESO (g)	A	B	C	D	E	F	PN	MEDIDA
11150	20	15	159	84	52	16	78	92	47	PN16	MÉTRICO
11151	25	20	203	96	59	19	84	92	51	PN16	MÉTRICO
11152	32	25	353	117	70	23	97	138	66	PN16	MÉTRICO
11153	40	32	592	132	84	25	128	160	72	PN16	MÉTRICO
11154	50	40	848	149	99	31	142	169	77	PN16	MÉTRICO
11155	63	50	1351	173	121	38	165	188	90	PN16	MÉTRICO
11156	75	65	2691	215	151	45	222	281	121	PN10	MÉTRICO
11157	90	80	4398	255	175	51	244	301	141	PN10	MÉTRICO
11158	110	100	6530	308	210	61	307	426	155	PN10	MÉTRICO
11763	125	113	8755	328	228	71	323	509	161	PN10	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 207 | Solvent socket outlet - PTFE - Basic System

11889	125	113	10425	340	252	71	335	512	161	PN10	MÉTRICO
11890	140	125	13873	405	278	76	363	519	195	PN10	MÉTRICO
11883	160	150	18460	350	284	101	436	511	153	PN10	MÉTRICO
11194	75	50	1342	192	121	45	165	197	90	PN10	MÉTRICO
11195	90	65	2810	240	151	51	222	293	121	PN10	MÉTRICO
11196	110	80	4708	286	175	61	244	316	141	PN10	MÉTRICO
11197	125	100	6240	312	210	71	307	431	155	PN10	MÉTRICO
11198	140	100	6560	326	210	71	307	439	155	PN10	MÉTRICO
11768	140	113	5990	340	228	76	323	512	161	PN10	MÉTRICO
11840	160	125	14163	405	252	101	363	519	161	PN10	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es