



'basic' bi-directional ball valve


Thermofusion outlet - double acting spring return actuator - Viton

ITEM 693



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	contenido.peso bruto	Unidades lote
111D730	V.BOLA BID. ACT.NEUM D/E S/TERMOFUSION 20 VITON	0.870	0.03648	0.87	1
111D731	V.BOLA BID. ACT.NEUM D/E S/TERMOFUSION 25 VITON	0.918	0.03648	0.92	1
111D732	V.BOLA BID. ACT.NEUM D/E S/TERMOFUSION 32 VITON	1.856	0.03648	1.86	1
111D733	V.BOLA BID. ACT.NEUM D/E S/TERMOFUSION 40 VITON	2.116	0.03648	2.12	1
111D734	V.BOLA BID. ACT.NEUM D/E S/TERMOFUSION 50 VITON	2.455	0.04460	2.46	1
111D735	V.BOLA BID. ACT.NEUM D/E S/TERMOFUSION 63 VITON	3.002	0.04460	3.00	1
111D736	V.BOLA BID. ACT.NEUM D/E S/TERMOFUSION 75 VITON	6.011	0.02243	0.00	1
111D737	V.BOLA BID. ACT.NEUM D/E S/TERMOFUSION 90 VITON	7.591	0.02243	0.00	1





ITEM 693 | Thermofusion outlet - double acting spring return actuator - Viton

CÓDIGO	f	Actuador	PESO (g)	DN	A	B	C	D	E	F	PN	MEDIDA
11D730	20	H050DE	1286	15	212	55	65	192	138	44	PN16	MÉTRICO
11D731	25	H050DE	1333	20	221	62	65	197	138	49	PN16	MÉTRICO
11D732	32	H050DE	1474.4	25	256	72	70	209	138	66	PN16	MÉTRICO
11D733	40	H050DE	1745.6	32	261	88	70	232	138	71	PN16	MÉTRICO
11D734	50	H050DE	2038.4	40	285	103	79	249	138	75	PN16	MÉTRICO
11D735	63	H050DE	2561.6	50	327	120	89	291	138	89	PN16	MÉTRICO
11D736	75	H075DE	5550	65	369	150	91	375	210	119	PN10	MÉTRICO
11D737	90	H075DE	7130	80	410	181	100	402	210	140	PN10	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es