




'Compact' ball valves female threaded outlet ITEM 566

REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	contenido.peso bruto	Unidades lote
111C000	VALVULA COMPACT R/H 1/2"	0.106	0.00892	2.34	20
111C001	VALVULA COMPACT R/H 3/4"	0.131	0.00892	2.87	20
111C002	VALVULA COMPACT R/H 1"	0.197	0.01553	3.25	15
111C003	VALVULA COMPACT R/H 1 1/4"	0.313	0.02244	5.19	15
111C004	VALVULA COMPACT R/H 1 1/2"	0.459	0.01553	4.92	10
111C005	VALVULA COMPACT R/H 2"	0.821	0.01553	4.43	5
111C006	VALVULA COMPACT R/H 2 1/2"	1.751	0.01553	3.83	2
111C007	VALVULA COMPACT R/H 3"	1.644	0.01553	3.62	2





ITEM 566 | female threaded outlet

CÓDIGO	r	DN	PESO (g)	A	B	C	F	PN	TIPO ROSCA
11C000	1/2"	15	107.8	82	48	17	80	PN16	BSP
11C001	3/4"	20	135.8	89	53	20	80	PN16	BSP
11C002	1"	25	220.5	101	59	23	101	PN16	BSP
11C003	1 1/4"	32	378	117	69	26	130	PN16	BSP
11C004	1 1/2"	40	571.2	141	83	33	130	PN16	BSP
11C005	2"	50	912.8	162	104	39	172	PN16	BSP
11C006	2 1/2"	65	1765	188	132	34	265	PN10	BSP
11C007	3"	65	1615	188	132	35	265	PN10	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es