



## GRPP hinged sleeve

# Hinged sleeve solvent socket outlet

## ITEM 136



| REFERENCE | DESCRIPTION                           | Net weight | Volumen (m <sup>3</sup> ) | Gross weight | Unidades lote |
|-----------|---------------------------------------|------------|---------------------------|--------------|---------------|
| 1005001   | HINGED SLEEVES SOLV. SOCK/OUT 250-50  | 3.94315    | 0.04836                   | 8.575        | 2             |
| 1005002   | HINGED SLEEVES SOLV. SOCK/OUT 250-63  | 0.34       | 0.04836                   | 8.61         | 2             |
| 1005003   | HINGED SLEEVES SOLV. SOCK/OUT 250-75  | 4.00815    | 0.04836                   | 8.705        | 2             |
| 1005004   | HINGED SLEEVES SOLV. SOCK/OUT 250-90  | 4.03815    | 0.04836                   | 8.765        | 2             |
| 1005005   | HINGED SLEEVES SOLV. SOCK/OUT 250-125 | 4.05815    | 0.04836                   | 8.805        | 2             |
| 1005006   | HINGED SLEEVES SOLV. SOCK/OUT 250-110 | 4.16815    | 0.04836                   | 9.025        | 2             |
| 1005007   | HINGED SLEEVES SOLV. SOCK/OUT 315-50  | 6.2589     | 0.048799                  | 6.846        | 1             |
| 1005008   | HINGED SLEEVES SOLV. SOCK/OUT 315-63  | 6.6879     | 0.048799                  | 7.275        | 1             |
| 1005009   | HINGED SLEEVES SOLV. SOCK/OUT 315-75  | 6.483      | 0.048799                  | 7.063        | 1             |
| 1005010   | HINGED SLEEVES SOLV. SOCK/OUT 315-90  | 6.4329     | 0.048799                  | 7.02         | 1             |
| 1005011   | HINGED SLEEVES SOLV. SOCK/OUT 315-110 | 6.5709     | 0.048799                  | 7.158        | 1             |
| 1005012   | HINGED SLEEVES SOLV. SOCK/OUT 315-125 | 6.405      | 0.048799                  | 6.99         | 1             |
| 1005013   | HINGED SLEEVES SOLV. SOCK/OUT 225-125 | 3.6275     | 0.04836                   | 7.925        | 2             |
| 1005020   | HINGED SLEEVES SOLV. SOCK/OUT 225-50  | 3.6082     | 0.04836                   | 7.905        | 2             |
| 1005021   | HINGED SLEEVES SOLV. SOCK/OUT 225-63  | 3.58565    | 0.04836                   | 7.86         | 2             |
| 1005022   | HINGED SLEEVES SOLV. SOCK/OUT 225-75  | 3.53065    | 0.04836                   | 7.75         | 2             |
| 1005023   | HINGED SLEEVES SOLV. SOCK/OUT 225-90  | 3.60565    | 0.04836                   | 7.9          | 2             |
| 1005024   | HINGED SLEEVES SOLV. SOCK/OUT 225-110 | 3.78065    | 0.04836                   | 8.25         | 2             |
| 1005334   | HINGED SLEEVES SOLV. SOCK/OUT 225-20  | 3.562      | 0.04836                   | 7.964        | 2             |
| 1005335   | HINGED SLEEVES SOLV. SOCK/OUT 225-25  | 3.553      | 0.04836                   | 7.946        | 2             |
| 1005336   | HINGED SLEEVES SOLV. SOCK/OUT 225-32  | 3.644      | 0.04836                   | 7.96         | 2             |
| 1005337   | HINGED SLEEVES SOLV. SOCK/OUT 225-40  | 3.718      | 0.04836                   | 8.11         | 2             |
| 1005338   | HINGED SLEEVES SOLV. SOCK/OUT 250-20  | 4.18145    | 0.04836                   | 9.028        | 2             |





## GRPP hinged sleeve



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



[www.hidroten.es](http://www.hidroten.es)



## ITEM 136

| REFERENCE | DESCRIPTION                           | Net weight | Volumen (m³) | contenido.Peso bruto | Unidades lote |
|-----------|---------------------------------------|------------|--------------|----------------------|---------------|
| 1005339   | HINGED SLEEVES SOLV. SOCK/OUT 250-25  | 3.924      | 0.04836      | 8.688                | 2             |
| 1005340   | HINGED SLEEVES SOLV. SOCK/OUT 250-32  | 4.07745    | 0.04836      | 8.82                 | 2             |
| 1005341   | HINGED SLEEVES SOLV. SOCK/OUT 250-40  | 3.899      | 0.04836      | 8.638                | 2             |
| 1005342   | HINGED SLEEVES SOLV. SOCK/OUT 315-20  | 5.185      | 0.063473     | 6.085                | 1             |
| 1005343   | HINGED SLEEVES SOLV. SOCK/OUT 315-25  | 5.176      | 0.048799     | 5.936                | 1             |
| 1005344   | HINGED SLEEVES SOLV. SOCK/OUT 315-32  | 5.166      | 0.048799     | 5.926                | 1             |
| 1005345   | HINGED SLEEVES SOLV. SOCK/OUT 315-40  | 5.151      | 0.048799     | 5.911                | 1             |
| 1005346   | HINGED SLEEVES SOLV SOCK/OUT 160-20   | 3.313      | 0.036484     | 7.22                 | 2             |
| 1005347   | HINGED SLEEVES SOLV SOCK/OUT 160-25   | 3.333      | 0.044603     | 7.36                 | 2             |
| 1005348   | HINGED SLEEVES SOLV SOCK/OUT 160-32   | 3.2233     | 0.044603     | 7.2                  | 2             |
| 1005349   | HINGED SLEEVES SOLV SOCK/OUT 160-40   | 3.187      | 0.044603     | 7.204                | 2             |
| 1005350   | HINGED SLEEVES SOLV SOCK/OUT 160-50   | 3.18575    | 0.044603     | 7.125                | 2             |
| 1005351   | HINGED SLEEVES SOLV. SOCK/OUT 160-63  | 3.2512     | 0.036484     | 7.12                 | 2             |
| 1005352   | HINGED SLEEVES SOLV. SOCK/OUT 160-75  | 3.2555     | 0.03648      | 7.105                | 2             |
| 1005353   | HINGED SLEEVES SOLV. SOCK/OUT 160-90  | 3.2637     | 0.03648      | 7.145                | 2             |
| 1005354   | HINGED SLEEVES SOLV. SOCK/OUT 160-110 | 3.3912     | 0.036484     | 7.4                  | 2             |
| 1005355   | HINGED SLEEVES SOLV. SOCK/OUT 160-125 | 3.2712     | 0.036484     | 7.16                 | 2             |
| 1005401   | HINGED SLEEVES SOLV. SOCK/OUT 200-20  | 3.43105    | 0.044603     | 7.592                | 2             |
| 1005402   | HINGED SLEEVES SOLV. SOCK/OUT 200-25  | 3.4105     | 0.044603     | 7.515                | 2             |
| 1005403   | HINGED SLEEVES SOLV. SOCK/OUT 200-32  | 3.29075    | 0.044603     | 7.335                | 2             |
| 1005404   | HINGED SLEEVES SOLV. SOCK/OUT 200-40  | 3.3435     | 0.044603     | 7.381                | 2             |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es





## GRPP hinged sleeve


# Hinged sleeve solvent socket outlet

## ITEM 136



| REFERENCE | DESCRIPTION                           | Net weight | Volumen (m <sup>3</sup> ) | contenido.Peso bruto | Unidades lote |
|-----------|---------------------------------------|------------|---------------------------|----------------------|---------------|
| 1005407   | HINGED SLEEVES SOLV. SOCK/OUT 200-75  | 3.21075    | 0.044603                  | 7.175                | 2             |
| 1005408   | HINGED SLEEVES SOLV. SOCK/OUT 200-90  | 3.25575    | 0.044603                  | 7.265                | 2             |
| 1005409   | HINGED SLEEVES SOLV. SOCK/OUT 200-110 | 3.39075    | 0.044603                  | 7.535                | 2             |
| 1005410   | HINGED SLEEVES SOLV. SOCK/OUT 200-125 | 3.32075    | 0.044603                  | 7.395                | 2             |
| 1005461   | HINGED SLEEVES SOLV. SOCK/OUT 400-20  | 6.77       | 0.063473                  | 7.6                  | 1             |
| 1005462   | HINGED SLEEVES SOLV. SOCK/OUT 400-25  | 6.72       | 0.063473                  | 7.55                 | 1             |
| 1005463   | HINGED SLEEVES SOLV. SOCK/OUT 400-32  | 6.72       | 0.063473                  | 7.55                 | 1             |
| 1005464   | HINGED SLEEVES SOLV. SOCK/OUT 400-40  | 6.872      | 0.063473                  | 7.772                | 1             |
| 1005465   | HINGED SLEEVES SOLV. SOCK/OUT 400-50  | 6.5113     | 0.063473                  | 7.31                 | 1             |
| 1005466   | HINGED SLEEVES SOLV. SOCK/OUT 400-63  | 6.73       | 0.063473                  | 7.56                 | 1             |
| 1005467   | HINGED SLEEVES SOLV. SOCK/OUT 400-75  | 6.8003     | 0.063473                  | 7.599                | 1             |
| 1005468   | HINGED SLEEVES SOLV. SOCK/OUT 400-90  | 6.7013     | 0.063473                  | 7.5                  | 1             |
| 1005469   | HINGED SLEEVES SOLV. SOCK/OUT 400-110 | 6.8463     | 0.063473                  | 7.645                | 1             |
| 1005470   | HINGED SLEEVES SOLV. SOCK/OUT 400-125 | 6.8013     | 0.063473                  | 7.6                  | 1             |
| 1005471   | HINGED SLEEVES SOLV. SOCK/OUT 400-140 | 7.3        | 0.063473                  | 8.18                 | 1             |
| 1005472   | HINGED SLEEVES SOLV. SOCK/OUT 400-160 | 7.5115     | 0.086775                  | 8.545                | 1             |
| 1005478   | HINGED SLEEVES SOLV. SOCK/OUT 315-140 | 6.13       | 0.048799                  | 7.117                | 1             |
| 1005479   | HINGED SLEEVES SOLV. SOCK/OUT 315-160 | 7.1449     | 0.06347                   | 7.98                 | 1             |





## ITEM 136 | Hinged sleeve solvent socket outlet

| CÓDIGO | f tubo | f salida | PESOS | A   | B   | C   | D  | E  | PN  | MEDIDA  |
|--------|--------|----------|-------|-----|-----|-----|----|----|-----|---------|
| 05346  | 160    | 20       | 3221  | 160 | 225 | 224 | 8  | 16 | PN6 | MÉTRICO |
| 05347  | 160    | 25       | 3212  | 160 | 225 | 224 | 8  | 19 | PN6 | MÉTRICO |
| 05348  | 160    | 32       | 3202  | 160 | 225 | 224 | 8  | 22 | PN6 | MÉTRICO |
| 05349  | 160    | 40       | 3187  | 160 | 225 | 224 | 8  | 26 | PN6 | MÉTRICO |
| 05350  | 160    | 50       | 3172  | 160 | 225 | 224 | 8  | 31 | PN6 | MÉTRICO |
| 05351  | 160    | 63       | 3139  | 160 | 225 | 231 | 15 | 38 | PN6 | MÉTRICO |
| 05352  | 160    | 75       | 3144  | 160 | 225 | 237 | 21 | 44 | PN6 | MÉTRICO |
| 05353  | 160    | 90       | 3230  | 160 | 225 | 244 | 28 | 51 | PN6 | MÉTRICO |
| 05354  | 160    | 110      | 3269  | 160 | 225 | 279 | 63 | 61 | PN6 | MÉTRICO |
| 05355  | 160    | 125      | 3162  | 160 | 225 | 285 | 69 | 69 | PN6 | MÉTRICO |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es



## ITEM 136 | Hinged sleeve solvent socket outlet

|       |     |     |      |     |     |     |    |    |     |         |
|-------|-----|-----|------|-----|-----|-----|----|----|-----|---------|
| 05401 | 200 | 20  | 3279 | 200 | 227 | 258 | 8  | 16 | PN6 | MÉTRICO |
| 05402 | 200 | 25  | 3270 | 200 | 227 | 258 | 8  | 19 | PN6 | MÉTRICO |
| 05403 | 200 | 32  | 3260 | 200 | 227 | 258 | 8  | 22 | PN6 | MÉTRICO |
| 05404 | 200 | 40  | 3245 | 200 | 227 | 258 | 8  | 26 | PN6 | MÉTRICO |
| 05405 | 200 | 50  | 3230 | 200 | 227 | 258 | 8  | 31 | PN6 | MÉTRICO |
| 05406 | 200 | 63  | 3197 | 200 | 227 | 265 | 15 | 38 | PN6 | MÉTRICO |
| 05407 | 200 | 75  | 3202 | 200 | 227 | 271 | 21 | 44 | PN6 | MÉTRICO |
| 05408 | 200 | 90  | 3288 | 200 | 227 | 278 | 28 | 51 | PN6 | MÉTRICO |
| 05409 | 200 | 110 | 3327 | 200 | 227 | 313 | 63 | 61 | PN6 | MÉTRICO |
| 05410 | 200 | 125 | 3220 | 200 | 227 | 319 | 69 | 69 | PN6 | MÉTRICO |
| 05334 | 225 | 20  | 3562 | 225 | 225 | 282 | 8  | 16 | PN6 | MÉTRICO |
| 05335 | 225 | 25  | 3553 | 225 | 225 | 282 | 8  | 19 | PN6 | MÉTRICO |
| 05336 | 225 | 32  | 3543 | 225 | 225 | 282 | 8  | 22 | PN6 | MÉTRICO |
| 05337 | 225 | 40  | 3528 | 225 | 225 | 282 | 8  | 26 | PN6 | MÉTRICO |
| 05020 | 225 | 50  | 3513 | 225 | 225 | 282 | 8  | 31 | PN6 | MÉTRICO |
| 05021 | 225 | 63  | 3480 | 225 | 225 | 289 | 15 | 38 | PN6 | MÉTRICO |
| 05022 | 225 | 75  | 3485 | 225 | 225 | 295 | 21 | 44 | PN6 | MÉTRICO |
| 05023 | 225 | 90  | 3571 | 225 | 225 | 302 | 28 | 51 | PN6 | MÉTRICO |
| 05024 | 225 | 110 | 3610 | 225 | 225 | 337 | 63 | 61 | PN6 | MÉTRICO |
| 05013 | 225 | 125 | 3503 | 225 | 225 | 343 | 69 | 69 | PN6 | MÉTRICO |
| 05338 | 250 | 20  | 3933 | 250 | 239 | 307 | 8  | 16 | PN6 | MÉTRICO |
| 05339 | 250 | 25  | 3924 | 250 | 239 | 307 | 8  | 19 | PN6 | MÉTRICO |
| 05340 | 250 | 32  | 3914 | 250 | 239 | 307 | 8  | 22 | PN6 | MÉTRICO |
| 05341 | 250 | 40  | 3899 | 250 | 239 | 307 | 8  | 26 | PN6 | MÉTRICO |
| 05001 | 250 | 50  | 3884 | 250 | 239 | 307 | 8  | 31 | PN6 | MÉTRICO |
| 05002 | 250 | 63  | 3851 | 250 | 239 | 314 | 15 | 38 | PN6 | MÉTRICO |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es



## ITEM 136 | Hinged sleeve solvent socket outlet

|       |     |     |      |     |     |     |    |    |     |         |
|-------|-----|-----|------|-----|-----|-----|----|----|-----|---------|
| 05003 | 250 | 75  | 3856 | 250 | 239 | 320 | 21 | 44 | PN6 | MÉTRICO |
| 05004 | 250 | 90  | 3942 | 250 | 239 | 327 | 28 | 51 | PN6 | MÉTRICO |
| 05006 | 250 | 110 | 3981 | 250 | 239 | 362 | 63 | 61 | PN6 | MÉTRICO |
| 05005 | 250 | 125 | 3874 | 250 | 239 | 368 | 69 | 69 | PN6 | MÉTRICO |
| 05342 | 315 | 20  | 5185 | 315 | 250 | 369 | 8  | 16 | PN6 | MÉTRICO |
| 05343 | 315 | 25  | 5176 | 315 | 250 | 369 | 8  | 19 | PN6 | MÉTRICO |
| 05344 | 315 | 32  | 5166 | 315 | 250 | 369 | 8  | 22 | PN6 | MÉTRICO |
| 05345 | 315 | 40  | 5151 | 315 | 250 | 369 | 8  | 26 | PN6 | MÉTRICO |
| 05007 | 315 | 50  | 5136 | 315 | 250 | 369 | 8  | 31 | PN6 | MÉTRICO |
| 05008 | 315 | 63  | 5103 | 315 | 250 | 376 | 15 | 38 | PN6 | MÉTRICO |
| 05009 | 315 | 75  | 5108 | 315 | 250 | 382 | 21 | 44 | PN6 | MÉTRICO |
| 05010 | 315 | 90  | 5194 | 315 | 250 | 389 | 28 | 51 | PN6 | MÉTRICO |
| 05011 | 315 | 110 | 5233 | 315 | 250 | 424 | 63 | 61 | PN6 | MÉTRICO |
| 05012 | 315 | 125 | 5126 | 315 | 250 | 430 | 69 | 69 | PN6 | MÉTRICO |
| 05478 | 315 | 140 | 6130 | 315 | 282 | 445 | 55 | 76 | PN6 | MÉTRICO |
| 05479 | 315 | 160 | 6185 | 315 | 282 | 455 | 65 | 86 | PN6 | MÉTRICO |
| 05461 | 400 | 20  | 6906 | 400 | 282 | 473 | 8  | 16 | PN6 | MÉTRICO |
| 05462 | 400 | 25  | 6897 | 400 | 282 | 473 | 8  | 19 | PN6 | MÉTRICO |
| 05463 | 400 | 32  | 6887 | 400 | 282 | 473 | 8  | 22 | PN6 | MÉTRICO |
| 05464 | 400 | 40  | 6872 | 400 | 282 | 473 | 8  | 26 | PN6 | MÉTRICO |
| 05465 | 400 | 50  | 6857 | 400 | 282 | 473 | 8  | 31 | PN6 | MÉTRICO |
| 05466 | 400 | 63  | 6824 | 400 | 282 | 480 | 15 | 38 | PN6 | MÉTRICO |
| 05467 | 400 | 75  | 6829 | 400 | 282 | 486 | 21 | 44 | PN6 | MÉTRICO |
| 05468 | 400 | 90  | 6915 | 400 | 282 | 493 | 28 | 51 | PN6 | MÉTRICO |
| 05469 | 400 | 110 | 6954 | 400 | 282 | 503 | 38 | 61 | PN6 | MÉTRICO |
| 05470 | 400 | 125 | 6847 | 400 | 282 | 534 | 69 | 69 | PN6 | MÉTRICO |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es





## ITEM 136 | Hinged sleeve solvent socket outlet

|       |     |     |      |     |     |     |    |    |            |         |
|-------|-----|-----|------|-----|-----|-----|----|----|------------|---------|
| 05471 | 400 | 140 | 7429 | 400 | 282 | 530 | 55 | 76 | <b>PN6</b> | MÉTRICO |
| 05472 | 400 | 160 | 7475 | 400 | 282 | 540 | 65 | 86 | <b>PN6</b> | MÉTRICO |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Technical &  
Commercial Service  
+ 34 966 105 888



[www.hidroten.es](http://www.hidroten.es)



## Product Documents



## Product Certificates

## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es