



## Netvitc System pressure fittings

# GRPP Netvitc System short tee, Fem/T

## ITEM 53N



| REFERENCE | DESCRIPTION                            | Net weight | Volumen (m <sup>3</sup> ) | contenido.peso bruto | Unidades lote |
|-----------|----------------------------------------|------------|---------------------------|----------------------|---------------|
| 101N405   | TE 90° CORTA R/H NET SYS PP 63- 1 1/2" | 0.280      | 0.02243                   | 3.28                 | 10            |
| 101N406   | TE 90° CORTA R/H NET SYS PP 63- 2"     | 0.326      | 0.02243                   | 3.59                 | 10            |
| 101N577   | TE 90° CORTA R/H NET SYS PP 90-2"      | 0.438      | 0.01553                   | 2.40                 | 4             |
| 101N578   | TE 90° CORTA R/H NET SYS PP 110-1"     | 0.576      | 0.04717                   | 2.95                 | 4             |
| 101N579   | TE 90° CORTA R/H NET SYS PP 110-1 1/4" | 0.647      | 0.04717                   | 3.17                 | 4             |
| 101N580   | TE 90° CORTA R/H NET SYS PP 110-1 1/2" | 0.686      | 0.04717                   | 3.32                 | 4             |
| 101N581   | TE 90° CORTA R/H NET SYS PP 110-2"     | 0.612      | 0.04717                   | 3.09                 | 4             |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es



## ITEM 53N | GRPP Netvitc System short tee, Fem/T

| CÓDIGO | f          | PESO | BRIDA | A   | B   | C      | D  | PN   | ROSCA |
|--------|------------|------|-------|-----|-----|--------|----|------|-------|
| 1N405  | 63-1 1/2"  | 190  | 63    | 141 | 94  | 1 1/2" | 31 | PN10 | BSP   |
| 1N406  | 63-2"      | 198  | 63    | 141 | 116 | 2"     | 38 | PN10 | BSP   |
| 1N577  | 90-2"      | 566  | 90    | 140 | 121 | 2"     | 38 | PN10 | BSP   |
| 1N578  | 110-1"     | 627  | 110   | 140 | 144 | 1"     | 21 | PN10 | BSP   |
| 1N579  | 110-1 1/4" | 647  | 110   | 140 | 144 | 1 1/4" | 23 | PN10 | BSP   |
| 1N580  | 110-1 1/2" | 690  | 110   | 140 | 144 | 1 1/2" | 31 | PN10 | BSP   |
| 1N581  | 110-2"     | 745  | 110   | 140 | 144 | 2"     | 38 | PN10 | BSP   |





## Product Documents



## Product Certificates

## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es