



Netvitc System pressure fittings

Netvitc System PE reducing adaptor ITEM 22N



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	contenido.peso bruto	Unidades lote
101N950	PORT NETVITC SYSTEM PE 63-50	0.146	0.02244	2.88	16
101N952	PORT NETVITC SYSTEM PE 75-63	0.223	0.02244	4.11	16
101N955	PORT NETVITC SYSTEM PE 125-90	0.534	0.03129	4.83	8
101N957	PORT NETVITC SYSTEM PE 125-110	0.914	0.03682	7.86	8
101N960	PORT NETVITC SYSTEM PE 160-140	1.368	0.03682	6.02	4
101N963	PORT NETVITC SYSTEM PE 200-225	2.014	0.06347	8.96	4



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 22N | Netvitc System PE reducing adaptor

CÓDIGO	f	PESO	BRIDA	A	B	C	PN	MEDIDA
1N950	63-50	146	63	124	92	56	PN10	MÉTRICO
1N952	75-63	223	75	130	101	64	PN11	MÉTRICO
1N955	125-90	534	125	140	159	100	PN12	MÉTRICO
1N957	125-110	609	125	141	159	101	PN13	MÉTRICO
1N960	160-140	1416	160	190	201	98	PN14	MÉTRICO
1N963	200-225	2014	200	200	251	143	PN15	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es