




PVC check valves (with spring)

Fitting outlet - Viton seal

ITEM 271

REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	contenido.peso bruto	Unidades lote
1016531	V ANTIRET ENL VITON S/FITTING 20-20	0.200	0.02244	8.54	40
1016532	V ANTIRET ENL VITON S/FITTING 25-25	0.306	0.03682	12.02	40
1016533	V ANTIRET ENL VITON S/FITTING 32-32	0.490	0.03682	13.07	30
1016534	V ANTIRET ENL VITON S/FITTING 40-40	0.873	0.03682	11.58	16
1016535	V ANTIRET ENL VITON S/FITTING 50-50	1.193	0.04880	15.91	15
1016536	V ANTIRET ENL VITON S/FITTING 63-63	2.225	0.04836	22.25	10
1016537	V ANTIRET ENL VITON S/FITTING 75-75	3.503	0.04836	14.21	5
1016538	V ANTIRET ENL VITON S/FITTING 90-90	6.117	0.03648	12.87	2






ITEM 271 | Fitting outlet - Viton seal

Código Vitón	A	Peso	B	C	PN	MEDIDA
16531	20	200	52	170	PN16	MÉTRICO
16532	25	305	59	197	PN16	MÉTRICO
16533	32	480	69	239	PN16	MÉTRICO
16534	40	805	85	274	PN16	MÉTRICO
16535	50	1061	99	288	PN16	MÉTRICO
16536	63	1943	116	380	PN16	MÉTRICO
16537	75	4709	150	411	PN10	MÉTRICO
16538	90	7530	178	460	PN10	MÉTRICO





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es