





Collarines Bisagra PPFV

Boca roscada reforzada

ITEM 145

REFERENCIA	DESCRIPCIÓN	Peso neto	Volumen (m³)	Peso bruto	Unidades lote
1005600	BOCA COMUN 160-400 S/ROSCAR REF. 1/2"	0.565275	0.01553	7.11	12
1005601	BOCA COMUN 160-400 S/ROSCAR REF. 3/4"	0.526	0.01553	7.045	12
1005602	BOCA COMUN 160-400 S/ROSCAR REF. 1"	0.553608	0.01553	6.97	12
1005603	BOCA COMUN 160-400 S/ROSCAR REF. 1 1/4"	0.487	0.031294	6.404	12
1005604	BOCA COMUN 160-400 S/ROSCAR REF. 1 1/2"	0.505692	0.01553	6.395	12
1005605	BOCA COMUN 160-400 S/ROSCAR REF. 2"	0.5435	0.02243	7.095	12
1005606	BOCA COMUN 160-400 S/ROSCAR REF. 2 1/2"	0.546	0.031294	7.125	12
1005607	BOCA COMUN 160-400 S/ROSCAR REF. 3"	0.608	0.02243	7.78	12
1005608	BOCA COMUN 160-400 S/ROSCAR REF. 4"	0.65725	0.031294	8.46	12





ITEM 145 | Boca roscada reforzada

C??DIGO	d	f tubo	PESOS	A	B	PN	TIPO ROSCA
05600	1/2"	160-200-225-250-315-400	546	160	16	PN6	BSP
05601	3/4"	160-200-225-250-315-400	526	160	19	PN6	BSP
05602	1"	160-200-225-250-315-400	506	160	22	PN6	BSP
05603	1 1/4"	160-200-225-250-315-400	487	160	26	PN6	BSP
05604	1 1/2"	160-200-225-250-315-400	467	160	31	PN6	BSP
05605	2"	160-200-225-250-315-400	530	160	38	PN6	BSP
05606	2 1/2"	160-200-225-250-315-400	566	160	44	PN6	BSP
05607	3"	160-200-225-250-315-400	561	160	51	PN6	BSP
05608	4"	160-200-225-250-315-400	668	160	61	PN6	BSP





Documentación de Producto



Certificados de Producto

Certificados de Empresa



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención
Técnica comercial
+ 34 966 105 888



www.hidroten.es