



## Válvulas de bola 'Basic'


# Salida fittings/fittings - PTFE - Sistema Basic®

## ITEM 217



| REFERENCIA | DESCRIPCIÓN                       | Peso<br>neto | Volumen<br>(m <sup>3</sup> ) | contenido.peso<br>bruto | Unidades<br>lote |
|------------|-----------------------------------|--------------|------------------------------|-------------------------|------------------|
| 1011180    | VALVULA E. S/FITTING 20-20 PTFE   | 0.225        | 0.03129                      | 9.56                    | 40               |
| 1011181    | VALVULA E. S/FITTING 25-25 PTFE   | 0.338        | 0.03682                      | 14.05                   | 40               |
| 1011182    | VALVULA E. S/FITTING 32-32 PTFE   | 0.519        | 0.04717                      | 16.20                   | 30               |
| 1011183    | VALVULA E. S/FITTING 40-40 PTFE   | 0.977        | 0.04836                      | 16.30                   | 16               |
| 1011184    | VALVULA E. S/FITTING 50-50 PTFE   | 1.308        | 0.04880                      | 20.20                   | 15               |
| 1011185    | VALVULA E. S/FITTING 63-63 PTFE   | 2.084        | 0.06347                      | 21.50                   | 10               |
| 1011186    | VALVULA E. S/FITTING 75-75 PTFE   | 3.983        | 0.04836                      | 16.60                   | 4                |
| 1011187    | VALVULA E. S/FITTING 90-90 PTFE   | 6.805        | 0.03648                      | 14.20                   | 2                |
| 1011188    | VALVULA E. S/FITTING 110-110 PTFE | 9.870        | 0.04460                      | 10.60                   | 1                |





## ITEM 217 | Salida fittings/fittings - PTFE - Sistema Basic®

| CÓDIGO | f   | PESO (g) | DN  | A   | B   | C   | D   | PN   | MEDIDA  |
|--------|-----|----------|-----|-----|-----|-----|-----|------|---------|
| 11180  | 20  | 225      | 15  | 203 | 52  | 47  | 78  | PN16 | MÉTRICO |
| 11181  | 25  | 338      | 20  | 207 | 59  | 51  | 84  | PN16 | MÉTRICO |
| 11182  | 32  | 518      | 25  | 246 | 70  | 66  | 97  | PN16 | MÉTRICO |
| 11183  | 40  | 977      | 32  | 272 | 84  | 72  | 128 | PN16 | MÉTRICO |
| 11184  | 50  | 1308     | 40  | 307 | 99  | 77  | 142 | PN16 | MÉTRICO |
| 11185  | 63  | 2083     | 50  | 378 | 121 | 90  | 165 | PN16 | MÉTRICO |
| 11186  | 75  | 3982     | 65  | 441 | 151 | 121 | 222 | PN10 | MÉTRICO |
| 11187  | 90  | 6805     | 80  | 521 | 175 | 141 | 244 | PN10 | MÉTRICO |
| 11188  | 110 | 9870     | 100 | 625 | 210 | 155 | 307 | PN10 | MÉTRICO |





## Documentación de Producto



## Certificados de Producto

## Certificados de Empresa



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención  
Técnica comercial  
+ 34 966 105 888



www.hidroten.es