




## Válvulas de bola 'Basic'

# Salida R/Hembra - Viton - Sistema Basic® ITEM 223



| REFERENCIA | DESCRIPCIÓN                  | Peso<br>neto | Volumen<br>(m <sup>3</sup> ) | contenido.peso<br>bruto | Unidades<br>lote |
|------------|------------------------------|--------------|------------------------------|-------------------------|------------------|
| 1011272    | VALV.ENLACE S/H VITON 4"     | 5.840        | 0.04460                      | 12.52                   | 2                |
| 1011492    | VALV.ENLACE S/H VITON 1/2"   | 0.154        | 0.02244                      | 7.20                    | 40               |
| 1011493    | VALV.ENLACE S/H VITON 3/4"   | 0.211        | 0.02244                      | 8.94                    | 40               |
| 1011494    | VALV.ENLACE S/H VITON 1"     | 0.366        | 0.03129                      | 11.56                   | 30               |
| 1011495    | VALV.ENLACE S/H VITON 1 1/4" | 0.626        | 0.03129                      | 13.09                   | 20               |
| 1011496    | VALV.ENLACE S/H VITON 1 1/2" | 0.900        | 0.03129                      | 14.07                   | 15               |
| 1011497    | VALV.ENLACE S/H VITON 2"     | 1.427        | 0.03682                      | 14.82                   | 10               |
| 1011498    | VALV.ENLACE S/H VITON 2 1/2" | 2.802        | 0.03129                      | 11.78                   | 4                |
| 1011499    | VALV.ENLACE S/H VITON 3"     | 4.406        | 0.02244                      | 9.30                    | 2                |






## ITEM 223 | Salida R/Hembra - Viton - Sistema Basic®

| CÓDIGO | r      | DN  | PESO (g) | A   | B   | C  | D   | E   | F   | PN   | TIPO ROSCA |
|--------|--------|-----|----------|-----|-----|----|-----|-----|-----|------|------------|
| 11492  | 1/2"   | 15  | 154      | 91  | 52  | 17 | 78  | 94  | 47  | PN16 | BSP        |
| 11493  | 3/4"   | 20  | 211      | 101 | 59  | 20 | 84  | 100 | 51  | PN16 | BSP        |
| 11494  | 1"     | 25  | 366      | 120 | 70  | 23 | 97  | 140 | 66  | PN16 | BSP        |
| 11495  | 1 1/4" | 32  | 626      | 134 | 84  | 26 | 128 | 161 | 72  | PN16 | BSP        |
| 11496  | 1 1/2" | 40  | 899      | 153 | 99  | 33 | 142 | 171 | 77  | PN16 | BSP        |
| 11497  | 2"     | 50  | 1403     | 161 | 121 | 29 | 165 | 182 | 90  | PN16 | BSP        |
| 11498  | 2 1/2" | 65  | 2746     | 204 | 151 | 33 | 222 | 275 | 121 | PN10 | BSP        |
| 11499  | 3"     | 80  | 4406     | 234 | 175 | 36 | 244 | 290 | 141 | PN10 | BSP        |
| 11272  | 4"     | 100 | 5840     | 267 | 210 | 42 | 307 | 426 | 155 | PN10 | BSP        |





## Documentación de Producto



## Certificados de Producto

## Certificados de Empresa



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención  
Técnica comercial  
+ 34 966 105 888



www.hidroten.es