



Válvulas de bola 'Basic'

VÁLVULA DE BOLA BASIC ENC. M - RH PTFE ITEM 780



REFERENCIA	DESCRIPCIÓN	Peso neto	Volumen (m ³)	contenido.peso bruto	Unidades lote
1011628	VÁLVULA DE BOLA BASIC ENCOLAR MACHO - RH PTFE 20-1/2"	0.155	0.02244	6.52	40
1011629	VÁLVULA DE BOLA BASIC ENCOLAR MACHO - RH PTFE 25-3/4"	0.197	0.02244	8.20	40
1011630	VÁLVULA DE BOLA BASIC ENCOLAR MACHO - RH PTFE 32-1"	0.324	0.03682	10.34	30
1011631	VÁLVULA DE BOLA BASIC ENCOLAR MACHO - RH PTFE 40-1 1/4"	0.557	0.03129	11.75	20
1011632	VÁLVULA DE BOLA BASIC ENCOLAR MACHO - RH PTFE 50-1 1/2"	0.890	0.03054	13.85	15
1011633	VÁLVULA DE BOLA BASIC ENCOLAR MACHO - RH PTFE 63-2"	1.420	0.04717	14.88	10



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Servicio Atención
Técnica comercial
+ 34 966 105 888



www.hidroten.es




ITEM 780 | VÁLVULA DE BOLA BASIC ENC. M - RH PTFE

CÓDIGO	f	PESO (g)	DN	A	B	C	D	F	G	PN	TIPO ROSCA
11628	20-1/2"	155	15	98	52	16	78	47	17	PN16	BSP
11629	25-3/4"	197	20	107	59	19	84	51	20	PN16	BSP
11630	32-1"	324	25	131	70	23	97	66	23	PN16	BSP
11631	40-1 1/4"	557	32	150	84	25	128	72	26	PN16	BSP
11632	50-1 1/2"	890	40	167	99	31	142	77	33	PN16	BSP
11633	63-2"	1420	50	186	121	38	165	90	29	PN16	BSP





Documentación de Producto



Certificados de Producto

Certificados de Empresa



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención
Técnica comercial
+ 34 966 105 888



www.hidroten.es