



## Válvulas de bola 'Compact'

# Válvula "Compact" acodada R/M-R/H VITON ITEM 888

| REFERENCIA | DESCRIPCIÓN                                       | Peso<br>neto | Volumen<br>(m <sup>3</sup> ) | contenido.peso<br>bruto | Unidades<br>lote |
|------------|---------------------------------------------------|--------------|------------------------------|-------------------------|------------------|
| 111C190    | VALVULA COMPACT ACODADA R/M-RH<br>1/2"-1/2" VITON | 0.129        | 0.00892                      | 2.79                    | 20               |
| 111C191    | VALVULA COMPACT ACODADA R/M-RH<br>1/2"-3/4" VITON | 0.128        | 0.00892                      | 2.77                    | 20               |
| 111C192    | VALVULA COMPACT ACODADA R/M-RH<br>3/4"-3/4" VITON | 0.168        | 0.00892                      | 2.68                    | 15               |
| 111C193    | VALVULA COMPACT ACODADA R/M-RH<br>3/4"-1" VITON   | 0.166        | 0.00892                      | 2.66                    | 15               |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Servicio Atención  
Técnica comercial  
+ 34 966 105 888



www.hidroten.es



## ITEM 888 | Válvula "Compact" acodada R/M-R/H VITON

| CÓDIGO | r1-r2     | DN | PESO (g) | A   | B  | C1 | C2 | D   | F  | PN   | TIPO ROSCA |
|--------|-----------|----|----------|-----|----|----|----|-----|----|------|------------|
| 11C190 | 1/2"-1/2" | 15 | 133      | 98  | 48 | 14 | 14 | 104 | 80 | PN16 | BSP        |
| 11C191 | 1/2"-3/4" | 15 | 134      | 98  | 48 | 14 | 17 | 106 | 80 | PN16 | BSP        |
| 11C192 | 3/4"-3/4" | 20 | 175      | 105 | 53 | 17 | 17 | 109 | 80 | PN16 | BSP        |
| 11C193 | 3/4"-1"   | 20 | 172      | 105 | 53 | 17 | 19 | 112 | 80 | PN16 | BSP        |





## Documentación de Producto



## Certificados de Producto

## Certificados de Empresa



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención  
Técnica comercial  
+ 34 966 105 888



www.hidroten.es