



## Brides et prote-brides


# Bride bouchon en acier galvanisé

## ITEM 430



RÉFÉRENCE	DESCRIPTION	Poids net	Volume (m <sup>3</sup> )	Poids brut	Unités par lot
1010566	BRIDE BOUCHON ACIER 63	2,85	0,00708	14,4911	5
1010567	BRIDE BOUCHON ACIER 75	3,83	0,00708	19,3911	5
1010568	BRIDE BOUCHON ACIER 90	4,275	0,00708	21,6161	5
1010569	BRIDE BOUCHON ACIER 110	5,32	0,00708	26,8411	5
1010570	BRIDE BOUCHON ACIER 125	8,23	0,01234	41,398	5
1010571	BRIDE BOUCHON ACIER 140	7,775	0,01234	39,123	5
1010572	BRIDE BOUCHON ACIER 160	9,95	0,01234	49,998	5
1010573	BRIDE BOUCHON ACIER 200	16,065	0,00000	16,065	1
1010574	BRIDE BOUCHON ACIER 225	13,5	0,00000	13,5	1
1010575	BRIDE BOUCHON ACIER 250	23,305	0,00000	23,305	1
1010576	BRIDE BOUCHON ACIER 315	22,5	0,00000	22,5	1





## ITEM 430 | Bride bouchon en acier galvanisé

Código	f	Peso (g)	K	C	D	PN	MEDIDA
10566	63	2900	125	12	4x18	PN16	MÉTRICO
10567	75	3200	145	13	4x18	PN16	MÉTRICO
10568	90	3600	160	13	4x18	PN16	MÉTRICO
10569	110	4000	170	13	8x18	PN16	MÉTRICO
10570	125	6600	210	13	8x18	PN16	MÉTRICO
10571	140	6300	210	13	8x18	PN16	MÉTRICO
10572	160	8500	240	13	8x22	PN10	MÉTRICO
10573	200-PN10	14100	295	15	8x22	PN10	MÉTRICO
10574	225	13500	295	15	8x22	PN10	MÉTRICO
10575	250	17200	350	15	12x22	PN10	MÉTRICO





## ITEM 430 | Bride bouchon en acier galvanisé

10576

315

22500

400

15

12x22

PN10

MÉTRICO



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



[www.hidroten.es](http://www.hidroten.es)



## Documentation Produit



## Certifications de produits



## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es