



## PP compression fittings

# Té taraudé, reforcé

## ITEM 488

| RÉFÉRENCE | DESCRIPTION                     | Poids net | Volume (m <sup>3</sup> ) | Poids brut | Unités par lot |
|-----------|---------------------------------|-----------|--------------------------|------------|----------------|
| 112E118   | TE, TARAUDE RENF.20-1/2" GRIS   | 0,1033    | 0,03129                  | 9,87       | 90             |
| 112E119   | TE, TARAUDE RENF.25-3/4" GRIS   | 0,16326   | 0,04717                  | 12,07      | 70             |
| 112E120   | TE, TARAUDE RENF.32-1" GRIS     | 0,233698  | 0,04836                  | 12,35      | 50             |
| 112E121   | TE, TARAUDE RENF.40-1 1/4" GRIS | 0,4004    | 0,04880                  | 14,1889    | 34             |
| 112E122   | TE, TARAUDE RENF.50-1 1/2" GRIS | 0,6693    | 0,04460                  | 14,08      | 20             |
| 112E123   | TE, TARAUDE RENF.63-2" GRIS     | 1,188333  | 0,06347                  | 15,09      | 12             |
| 112E124   | TE, TARAUDE RENF.75-2 1/2" GRIS | 1,2888    | 0,06150                  | 12,52      | 9              |
| 112E125   | TE, TARAUDE RENF.90-3" GRIS     | 2,79      | 0,04836                  | 12         | 4              |
| 112E126   | TE, TARAUDE RENF.110-4" GRIS    | 4,07      | 0,04460                  | 8,223      | 2              |
| 112E127   | TE R/HEMBRA REF. 50-2" GRIS     | 0         | 0,04460                  | 0          | 16             |
| 112E179   | TE, TARAUDE RENF.20-3/4" GRIS   | 0,104     | 0,03129                  | 9,92       | 90             |
| 112E180   | TE, TARAUDE RENF.25-1/2" GRIS   | 0,095     | 0,04717                  | 7,41       | 70             |
| 112E181   | TE, TARAUDE RENF.20-1/2" GRIS   | 0,235     | 0,04460                  | 12,58      | 50             |
| 112E182   | TE, TARAUDE RENF.20-1/2" GRIS   | 0,232     | 0,04460                  | 12,43      | 50             |





## ITEM 488 | Té taraudé, reforcé

| Código | f tubo - F  | Peso (g) | A  | B  | C  | D   | E  | PN   | TIPO ROSCA |
|--------|-------------|----------|----|----|----|-----|----|------|------------|
| 12E118 | 20 - 1/2"   | 107      | 21 | 46 | 58 | 137 | 17 | PN16 | BSP        |
| 12E179 | 20 - 3/4"   | 106      | 21 | 46 | 58 | 137 | 19 | PN16 | BSP        |
| 12E180 | 25 - 1/2"   | 165      | 26 | 55 | 66 | 156 | 17 | PN16 | BSP        |
| 12E119 | 25 - 3/4"   | 160      | 26 | 55 | 66 | 156 | 20 | PN16 | BSP        |
| 12E181 | 32 - 1/2"   | 236      | 33 | 64 | 71 | 170 | 17 | PN16 | BSP        |
| 12E182 | 32 - 3/4"   | 231      | 33 | 64 | 71 | 170 | 21 | PN16 | BSP        |
| 12E120 | 32 - 1"     | 228      | 33 | 64 | 71 | 170 | 23 | PN16 | BSP        |
| 12E121 | 40 - 1 1/4" | 372      | 42 | 76 | 84 | 208 | 25 | PN16 | BSP        |
| 12E122 | 50 - 1 1/2" | 590      | 51 | 91 | 93 | 235 | 25 | PN16 | BSP        |
| 12E127 | 50 - 2"     | 626      | 51 | 91 | 93 | 235 | 29 | PN16 | BSP        |





## ITEM 488 | Té taraudé, reforcé

|        |             |      |     |     |     |     |    |             |     |
|--------|-------------|------|-----|-----|-----|-----|----|-------------|-----|
| 12E123 | 63 - 2"     | 966  | 64  | 109 | 113 | 274 | 29 | <b>PN16</b> | BSP |
| 12E124 | 75 - 2 1/2" | 1721 | 77  | 133 | 132 | 344 | 33 | <b>PN10</b> | BSP |
| 12E125 | 90 - 3"     | 2790 | 92  | 159 | 162 | 416 | 41 | <b>PN10</b> | BSP |
| 12E126 | 110 - 4"    | 4070 | 112 | 183 | 167 | 465 | 45 | <b>PN10</b> | BSP |





## Documentation Produit



## Certifications de produits

## Certificats d'entreprise

