



Vannes à boisseau 'Basic'

Sortie taraudée - PE - Système Basic

ITEM 208

| RÉFÉRENCE | DESCRIPTION | Poids net | Volume (m ³) | Poids brut | Unités par lot |
|-----------|------------------------------------|-----------|--------------------------|------------|----------------|
| 1011092 | V. BOISSEAU SPHER TARAUDÉ 1/2" | 0,163708 | 0,01553 | 6,875 | 40 |
| 1011093 | V. BOISSEAU SPHER TARAUDÉ 3/4" | 0,208433 | 0,02244 | 8,825 | 40 |
| 1011094 | V. BOISSEAU SPHER TARAUDÉ 1" | 0,3581 | 0,03129 | 11,316 | 30 |
| 1011095 | V. BOISSEAU SPHER TARAUDÉ 1 1/4" | 0,61035 | 0,03129 | 12,78 | 20 |
| 1011096 | V. BOISSEAU SPHER TARAUDÉ 1 1/2" | 0,880467 | 0,03129 | 14,535 | 15 |
| 1011097 | V. BOISSEAU SPHER TARAUDÉ 2" | 1,36958 | 0,03682 | 14,245 | 10 |
| 1011098 | V. BOISSEAU SPHER TARAUDÉ 2 1/2" | 2,77675 | 0,03129 | 11,68 | 4 |
| 1011099 | V. BOISSEAU SPHER TARAUDÉ 3" | 4,49115 | 0,02244 | 9,47 | 2 |
| 1011692 | ROBINET SPHER. A VISSER FEM-FEM 4" | 6,1676 | 0,04460 | 13,065 | 2 |





ITEM 208 | Sortie taraudée - PE - Système Basic

| CÓDIGO | r | DN | PESO (g) | A | B | C | D | E | F | PN | TIPO ROSCA |
|--------|--------|-----|----------|-----|-----|----|-----|-----|-----|------|------------|
| 11092 | 1/2" | 15 | 164 | 91 | 52 | 17 | 78 | 94 | 47 | PN16 | BSP |
| 11093 | 3/4" | 20 | 208 | 101 | 59 | 20 | 84 | 100 | 51 | PN16 | BSP |
| 11094 | 1" | 25 | 358 | 120 | 70 | 23 | 97 | 140 | 66 | PN16 | BSP |
| 11095 | 1 1/4" | 32 | 610 | 134 | 84 | 26 | 128 | 161 | 72 | PN16 | BSP |
| 11096 | 1 1/2" | 40 | 880 | 153 | 99 | 33 | 142 | 171 | 77 | PN16 | BSP |
| 11097 | 2" | 50 | 1369 | 161 | 121 | 29 | 165 | 182 | 90 | PN16 | BSP |
| 11098 | 2 1/2" | 65 | 2776 | 204 | 151 | 33 | 222 | 275 | 121 | PN10 | BSP |
| 11099 | 3" | 80 | 4491 | 234 | 175 | 36 | 244 | 290 | 141 | PN10 | BSP |
| 11692 | 4" | 100 | 6167 | 267 | 210 | 42 | 307 | 426 | 155 | PN10 | BSP |





Documentation Produit



Certifications de produits

Certificats d'entreprise

