




## Voyant de contrôle Netvitc System®

# Voyant sortie bride

## ITEM 513

| RÉFÉRENCE | DESCRIPTION                            | Poids net | Volume (m <sup>3</sup> ) | Poids brut | Unités par lot |
|-----------|--|-----------|--------------------------|------------|----------------|
| 1018069   | VOYANT DE CONTROLE À BRIDE 125 (K=190) | 5,145     | 0,02244                  | 5,685      | 1              |
| 1018070   | VOYANT DE CONTROLE À BRIDE 125 (K=210) | 5,6123    | 0,02457                  | 5,93       | 1              |
| 1018071   | VOYANT DE CONTROLE À BRIDE 160         | 8,437     | 0,03129                  | 9,01       | 1              |





## ITEM 513 | Voyant sortie bride

| CÓDIGO | A       | PESO (g) | BRIDA | B   | C   | D  | E   | K       | PN   | MEDIDA  |
|--------|---------|----------|-------|-----|-----|----|-----|---------|------|---------|
| 18069  | 125     | 2800     | 125   | 324 | 230 | 18 | 122 | 190     | PN10 | MÉTRICO |
| 18070  | 125-140 | 3100     | 125   | 324 | 250 | 18 | 122 | 210-216 | PN10 | MÉTRICO |
| 18071  | 160     | 5034     | 160   | 353 | 285 | 18 | 137 | 235-241 | PN10 | MÉTRICO |





## Documentation Produit



## Certifications de produits

## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



[www.hidroten.es](http://www.hidroten.es)