




PP compression fittings

Tee, male threaded outlet ITEM 486

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
112E100	TEE, MALE THREAD 20 x 1/2"	0.097	0.04117	9.61	90
112E101	TEE, MALE THREAD 25 x 3/4"	0.154	0.04717	11.54	70
112E102	TEE, MALE THREAD 32 x 1"	0.218	0.03648	8.55	36
112E103	TEE, MALE THREAD 40 x 1 1/4"	0.385	0.03682	10.25	25
112E104	TEE, MALE THREAD 50 x 1 1/2"	0.570	0.04460	9.95	16
112E105	TEE, MALE THREAD 63 x 2"	1.073	0.04717	11.49	10
112E106	TEE, MALE THREAD 75 x 2 1/2"	1.797	0.06150	17.15	9
112E107	TEE, MALE THREAD 90 x 3"	2.822	0.04836	12.13	4
112E108	TEE, MALE THREAD 110 x 4"	4.366	0.04460	9.56	2
112E189	TEE, MALE THREAD 20 x 3/4"	0.102	0.04117	10.06	90





ITEM 486 | Tee, male threaded outlet

Código	f tubo - F	Peso (g)	A	B	C	D	E	PN	TIPO ROSCA
12E100	20 - 1/2"	94	21	46	58	137	15	PN16	BSP
12E189	20 - 3/4"	96	21	46	58	137	16	PN16	BSP
12E101	25 - 3/4"	155	26	55	66	156	16	PN16	BSP
12E102	32 - 1"	218	33	64	70	170	19	PN16	BSP
12E103	40 - 1 1/4"	351	42	76	84	208	21	PN16	BSP
12E104	50 - 1 1/2"	567	51	91	94	235	21	PN16	BSP
12E105	63 - 2"	948	64	109	105	274	25	PN16	BSP
12E106	75 - 2 1/2"	1756	77	133	136	344	30	PN10	BSP
12E107	90 - 3"	2822	92	159	166	416	36	PN10	BSP
12E108	110 - 4"	4366	112	183	174	465	40	PN10	BSP





ITEM 486 | Tee, male threaded outlet





Documentação do Produto



Certificados do Produto

Certificados da Empresa

