





PVC-U pressure fittings

Female threaded cap

ITEM 022


REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
1002019	TAPON R/MACHO 1/2"	0.014	0.00473	1.24	80
1002020	TAPON R/MACHO 3/4"	0.019	0.00473	1.45	70
1002021	TAPON R/MACHO 1"	0.033	0.00473	1.61	45
1002022	TAPON R/MACHO 1 1/4"	0.047	0.00892	3.02	60
1002023	TAPON R/MACHO 1 1/2"	0.054	0.00892	2.88	50
1002024	TAPON R/MACHO 2"	0.105	0.01553	5.05	45
1002025	TAPON R/MACHO 2 1/2"	0.153	0.01553	6.45	40
1002026	TAPON R/MACHO 3"	0.219	0.01553	5.59	24
1002027	TAPON R/MACHO 4"	0.319	0.01553	5.11	15






ITEM 022 | Female threaded cap

Codigo	A	Peso (g)	B	C	D	PN	MEDIDA
02019	1/2"	14	29	14	31	PN10	BSP
02020	3/4"	19	34	16	32	PN10	BSP
02021	1"	33	44	19	35	PN10	BSP
02022	1 1/4"	38	47	21	38	PN10	BSP
02023	1 1/2"	47	55	21	40	PN10	BSP
02024	2"	80	69	26	46	PN10	BSP
02025	2 1/2"	134	87	30	51	PN10	BSP
02026	3"	211	103	33	58	PN10	BSP
02027	4"	318	130	38	65	PN10	BSP



Documentación del Producto



Certificados del Producto



Certificados da Empresa

