




GRPP hinged sleeve

Thermofusion outlet 1

ITEM 144

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
1005804	BOCA COMUN 160-200-225-250-315-400 S/TERMO 50	0.375	0.01553	4.74	12
1005805	BOCA COMUN 160-200-225-250-315-400 S/TERMO 63	0.441	0.03129	5.86	12
1005806	BOCA COMUN 160-200-225-250-315-400 S/TERMO 75	0.473	0.01553	5.92	12
1005807	BOCA COMUN 160-200-225-250-315-400 S/TERMO 90	0.556	0.03682	7.22	12
1005808	BOCA COMUN 160-200-225-250-315-400 S/TERMO 110	0.626	0.04879	8.08	12
1005809	BOCA COMUN 160-200-225-250-315-400 S/TERMO 125	0.788	0.06149	10.02	12





ITEM 144 | Thermofusion outlet 1

CÓDIGO	d	f tubo	PESOS	A	B	B	PN	MEDIDA
05804	50	160-200-225-250-315-400	395	160	56	135	PN6	MÉTRICO
05805	63	160-200-225-250-315-400	428	160	89	140	PN6	MÉTRICO
05806	75	160-200-225-250-315-400	476	160	91	150	PN6	MÉTRICO
05807	90	160-200-225-250-315-400	531	160	100	155	PN6	MÉTRICO
05508	110	160-200-225-250-315-400	586	160	102	160	PN6	MÉTRICO
05809	125	160-200-225-250-315-400	718	160	135	185	PN6	MÉTRICO





Documentação do Produto



Certificados do Produto

Certificados da Empresa

