




## 'Basic' ball valves

# Netvitc System® outlet PE

## ITEM 730

| REFERÊNCIA | DESCRIÇÃO                             | Peso líquido | Volume (m³) | contenido.peso bruto | Unidades por lote |
|------------|---------------------------------------|--------------|-------------|----------------------|-------------------|
| 111N005    | V/ENLACE SALIDA NETVITC SYSTEM 63 PE  | 1.274        | 0.03682     | 13.24                | 10                |
| 111N006    | V/ENLACE SALIDA NETVITC SYSTEM 75 PE  | 2.066        | 0.03129     | 8.76                 | 4                 |
| 111N007    | V/ENLACE SALIDA NETVITC SYSTEM 90 PE  | 3.230        | 0.02244     | 6.89                 | 2                 |
| 111N008    | V/ENLACE SALIDA NETVITC SYSTEM 110 PE | 4.670        | 0.04460     | 5.34                 | 1                 |





## ITEM 730 | Netvitc System® outlet PE

| CÓDIGO | f   | PESO (g) | DN  | Brida<br>SNS | A   | B   | D   | F   | PN   | MEDIDA  |
|--------|-----|----------|-----|--------------|-----|-----|-----|-----|------|---------|
| 11N005 | 63  | 1273     | 50  | 63           | 162 | 121 | 165 | 90  | PN16 | MÉTRICO |
| 11N006 | 75  | 2066     | 65  | 75           | 185 | 151 | 222 | 121 | PN10 | MÉTRICO |
| 11N007 | 90  | 3230     | 80  | 90           | 242 | 175 | 244 | 141 | PN10 | MÉTRICO |
| 11N008 | 110 | 4670     | 100 | 110          | 253 | 210 | 307 | 155 | PN10 | MÉTRICO |





## Documentação do Produto



## Certificados do Produto

## Certificados da Empresa

