




PP Compression Fittings

Codo 90° R/Hembra

ITEM 482


REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
112E066	ELBOW 90°, FEMALE THREAD 20 x 1/2"	0.055	0.02243	4.80	80
112E067	ELBOW 90°, FEMALE THREAD 25 x 3/4"	0.083	0.03129	7.18	80
112E068	ELBOW 90°, FEMALE THREAD 32 x 1"	0.122	0.03129	8.76	65
112E069	ELBOW 90°, FEMALE THREAD 40 x 1 1/4"	0.226	0.03682	9.66	40
112E070	ELBOW 90°, FEMALE THREAD 50 x 1 1/2"	0.336	0.06347	14.48	40
112E071	ELBOW 90°, FEMALE THREAD 63 x 2"	0.609	0.06347	15.52	24
112E374	ELBOW 90°, FEMALE THREAD 32 x 3/4"	0.000	0.03129	0.00	65






ITEM 482 | Codo 90° R/Hembra

Código	f tubo - F	Peso (g)	A	B	C	D	E	PN	TIPO ROSCA
12E066	20 - 1/2"	54	21	46	87	57	20	PN16	BSP
12E067	25 - 3/4"	92	26	55	97	65	20	PN16	BSP
12E374	32 - 3/4"	127	33	64	111	76	20	PN16	BSP
12E068	32 - 1"	123	33	64	111	76	22	PN16	BSP
12E069	40 - 1 1/4"	217	42	76	138	91	25	PN16	BSP
12E070	50 - 1 1/2"	324	51	91	153	106	25	PN16	BSP
12E071	63 - 2"	561	64	109	189	120	29	PN16	BSP
12E135	75 - 2 1/2"	992	77	133	220	142	34	PN10	BSP
12E136	90 - 3"	1740	92	159	267	165	42	PN10	BSP
12E137	110 - 4"	2423	112	183	303	201	51	PN10	BSP






ITEM 482 | Codo 90° R/Hembra





Documentação do Produto



Certificados do Produto

Certificados da Empresa

