




## PP Compression Fittings

# Enlace recto mixto - hembra

## ITEM 477

| REFERÊNCIA | DESCRIÇÃO                           | Peso líquido | Volume (m³) | contenido.peso bruto | Unidades por lote |
|------------|-------------------------------------|--------------|-------------|----------------------|-------------------|
| 112E046    | COUPLING, FEMALE THREAD 20 x 1/2"   | 0.052        | 0.02244     | 5.74                 | 100               |
| 112E047    | COUPLING, FEMALE THREAD 25 x 3/4"   | 0.081        | 0.03129     | 8.66                 | 100               |
| 112E048    | COUPLING, FEMALE THREAD 32 x 1"     | 0.121        | 0.04460     | 12.80                | 100               |
| 112E049    | COUPLING, FEMALE THREAD 40 x 1 1/4" | 0.213        | 0.04460     | 12.76                | 56                |
| 112E050    | COUPLING, FEMALE THREAD 50 x 1 1/2" | 0.312        | 0.04460     | 13.17                | 40                |
| 112E051    | COUPLING, FEMALE THREAD 63 x 2"     | 0.551        | 0.06150     | 16.41                | 28                |
| 112E053    | COUPLING, FEMALE THREAD 25 x 1/2"   | 0.085        | 0.03129     | 9.07                 | 100               |
| 112E055    | COUPLING, FEMALE THREAD 32 x 3/4"   | 0.125        | 0.04460     | 13.23                | 100               |





## ITEM 477 | Enlace recto mixto - hembra

| Código | f tubo      | Peso (g) | A  | B   | C   | D  | PN   | TIPO ROSCA |
|--------|-------------|----------|----|-----|-----|----|------|------------|
| 12E046 | 20 - 1/2"   | 54       | 21 | 46  | 75  | 18 | PN16 | BSP        |
| 12E053 | 25 - 1/2"   | 82       | 26 | 55  | 83  | 18 | PN16 | BSP        |
| 12E047 | 25 - 3/4"   | 79       | 26 | 55  | 83  | 21 | PN16 | BSP        |
| 12E055 | 32 - 3/4"   | 122      | 33 | 63  | 92  | 21 | PN16 | BSP        |
| 12E048 | 32 - 1"     | 117      | 33 | 63  | 92  | 23 | PN16 | BSP        |
| 12E049 | 40 - 1 1/4" | 196      | 42 | 76  | 111 | 25 | PN16 | BSP        |
| 12E050 | 50 - 1 1/2" | 289      | 51 | 91  | 118 | 25 | PN16 | BSP        |
| 12E051 | 63 - 2"     | 509      | 64 | 109 | 140 | 29 | PN16 | BSP        |
| 12E144 | 75 - 2 1/2" | 902      | 77 | 133 | 169 | 34 | PN10 | BSP        |
| 12E145 | 90 - 3"     | 1494     | 92 | 159 | 204 | 38 | PN10 | BSP        |





ITEM 477 | Enlace recto mixto - hembra

|        |          |      |     |     |     |    |      |     |
|--------|----------|------|-----|-----|-----|----|------|-----|
| 12E146 | 110 - 4" | 2064 | 112 | 183 | 231 | 50 | PN10 | BSP |
|--------|----------|------|-----|-----|-----|----|------|-----|





## Documentação do Produto



## Certificados do Produto

## Certificados da Empresa

