





PP Compression Fittings

Enlace recto mixto - macho

ITEM 476

REFERENCIA	DESCRIPCION	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
112E037	COUPLING MALE THREAD 20 x 1/2"	0.047	0.01553	5.05	100
112E038	COUPLING MALE THREAD 25 x 3/4"	0.075	0.03129	8.05	100
112E039	COUPLING MALE THREAD 32 x 1"	0.111	0.04460	11.80	100
112E040	COUPLING MALE THREAD 40 x 1 1/4"	0.184	0.03648	10.87	56
112E041	COUPLING MALE THREAD 50 x 1 1/4"	0.295	0.04460	12.52	40
112E042	COUPLING MALE THREAD 63 x 2"	0.510	0.06150	15.20	28
112E043	COUPLING MALE THREAD 75 x 2 1/2"	0.842	0.03682	9.04	10
112E044	COUPLING MALE THREAD 90 x 3"	1.378	0.03129	7.45	5
112E045	COUPLING MALE THREAD 110 x 4"	1.965	0.02244	4.47	2
112E236	COUPLING MALE THREAD 20 x 3/4"	0.065	0.01553	6.83	100
112E237	COUPLING MALE THREAD 25 x 1/2"	0.000	0.03129	0.00	100
112E238	COUPLING MALE THREAD 25 x 1"	0.076	0.03129	8.16	100
112E239	COUPLING MALE THREAD 32 x 3/4"	0.110	0.03648	11.70	100
112E241	COUPLING MALE THREAD 50 x 2"	0.307	0.04460	13.01	40
112E246	COUPLING MALE THREAD 75 x 2"	0.000	0.03682	0.00	10





ITEM 476 | Enlace recto mixto - macho

Código	f tubo - F	Peso (g)	A	B	C	D	E	PN	TIPO ROSCA
12E037	20 - 1/2"	45	21	46	61	=F3+H3	14	PN16	BSP
12E236	20 - 3/4"	65	21	46	61	77	16	PN16	BSP
12E237	25 - 1/2"	72	26	66	66	80	14	PN16	BSP
12E038	25 - 3/4"	75	26	55	66	=F6+H6	16	PN16	BSP
12E238	25 - 1"	80	26	55	66	=F7+H7	19	PN16	BSP
12E239	32 - 3/4"	102	33	64	73	=F8+H8	16	PN16	BSP
12E039	32 - 1"	107	33	64	73	=F9+H9	19	PN16	BSP
12E040	40 - 1 1/4"	171	42	76	91	=F10+H10	20	PN16	BSP
12E041	50 - 1 1/2"	272	51	91	97	=F11+H11	21	PN16	BSP
12E241	50 - 2"	280	51	91	97	122	25	PN16	BSP






ITEM 476 | Enlace recto mixto - macho

12E042	63 - 2"	434	64	109	114	=F13+H13	25	PN16	BSP
12E246	75 - 2"	794	77	133	139	164	25	PN10	BSP
12E043	75 - 2 1/2"	806	77	133	139	=F15+H15	30	PN10	BSP
12E044	90 - 3"	1378	92	159	169	=F16+H16	37	PN10	BSP
12E045	110 - 4"	1965	112	183	182	=F17+H17	40	PN10	BSP





Documenta????o do Produto



Certificados do Produto

Certificados da Empresa

