




PP fittings for polyethylene

Reducing straight union

ITEM 098

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
1012083	ENLACE REDUCIDO 25-20	0.101	0.03129	8.62	80
1012084	ENLACE REDUCIDO 32-25	0.168	0.03129	9.79	55
1012085	ENLACE REDUCIDO 40-32	0.266	0.06347	14.08	50
1012086	ENLACE REDUCIDO 50-40	0.438	0.04880	13.72	30
1012087	ENLACE REDUCIDO 63-50	0.736	0.03648	9.42	12
1012088	ENLACE REDUCIDO 75-63	1.237	0.04117	11.77	9
1012089	ENLACE REDUCIDO 90-75	2.128	0.03682	9.06	4
1012090	ENLACE REDUCIDO 110-90	3.021	0.03129	6.62	2
1012270	ENLACE REDUCIDO 32-20	0.137	0.03129	8.12	55
1012272	ENLACE REDUCIDO 50-32	0.367	0.04880	11.60	30
1012273	ENLACE REDUCIDO 63-40	0.665	0.03648	8.57	12
1012278	ENLACE REDUCIDO 90-63	1.815	0.03129	7.82	4





ITEM 098 | Reducing straight union


Código	f tubo	Peso (g)	A	a	B	b	C	c	D	PN	MEDIDA
12083	25-20	97	26	21	55	46	60	57	=H3+I3	PN16	MÉTRICO
12270	32-20	145	33	32	64	46	67	57	124	PN16	MÉTRICO
12084	32-25	156	33	26	64	55	67	63	=H5+I5	PN16	MÉTRICO
12085	40-32	252	42	33	76	64	83	76	=H6+I6	PN16	MÉTRICO
12272	50-32	345	51	33	91	64	90	76	166	PN16	MÉTRICO
12086	50-40	404	51	42	91	76	90	83	=H8+I8	PN16	MÉTRICO
12273	63-40	560	64	42	109	64	106	83	189	PN16	MÉTRICO
12087	63-50	637	64	51	109	91	106	97	=H10+I10	PN16	MÉTRICO
12088	75-63	1104	77	64	133	109	129	114	=H11+I11	PN10	MÉTRICO
12278	90-63	1580	92	64	159	109	162	114	=H12+I12	PN10	MÉTRICO






ITEM 098 | Reducing straight union

12089	90-75	2030	92	77	159	133	162	140	=H13+I13	PN10	MÉTRICO
12090	110-90	3080	112	92	183	159	174	164	=H14+I14	PN10	MÉTRICO





Documentación del Producto



Certificados del Producto



Certificados da Empresa

