




'basic' bi-directional ball valve

## PTFE male solvent socket - female solvent socket outlet ITEM 786


| REFERÊNCIA | DESCRIÇÃO                                                                  | Peso líquido | Volume (m³) | contenido.peso bruto | Unidades por lote |
|------------|----------------------------------------------------------------------------|--------------|-------------|----------------------|-------------------|
| 111D110    | VÁLVULA DE BOLA BIDIRECCIONAL<br>ENCOLAR MACHO - ENCOLAR HEMBRA<br>PTFE 20 | 0.165        | 0.02244     | 6.39                 | 40                |
| 111D111    | VÁLVULA DE BOLA BIDIRECCIONAL<br>ENCOLAR MACHO - ENCOLAR HEMBRA<br>PTFE 25 | 0.210        | 0.02244     | 4.65                 | 40                |
| 111D112    | VÁLVULA DE BOLA BIDIRECCIONAL<br>ENCOLAR MACHO - ENCOLAR HEMBRA<br>PTFE 32 | 0.353        | 0.04117     | 7.79                 | 30                |
| 111D113    | VÁLVULA DE BOLA BIDIRECCIONAL<br>ENCOLAR MACHO - ENCOLAR HEMBRA<br>PTFE 40 | 0.606        | 0.04117     | 6.79                 | 20                |
| 111D114    | VÁLVULA DE BOLA BIDIRECCIONAL<br>ENCOLAR MACHO - ENCOLAR HEMBRA<br>PTFE 50 | 0.870        | 0.04880     | 10.08                | 15                |
| 111D115    | VÁLVULA DE BOLA BIDIRECCIONAL<br>ENCOLAR MACHO - ENCOLAR HEMBRA<br>PTFE 63 | 1.444        | 0.04717     | 15.14                | 10                |






## ITEM 786 | PTFE male solvent socket - female solvent socket outlet

| CÓDIGO | f  | PESO (g) | DN | A   | B   | C  | D   | E   | F  | PN   | MEDIDA  |
|--------|----|----------|----|-----|-----|----|-----|-----|----|------|---------|
| 11D110 | 20 | 153      | 15 | 95  | 55  | 16 | 74  | 80  | 44 | PN16 | MÉTRICO |
| 11D111 | 25 | 193      | 20 | 103 | 62  | 19 | 80  | 80  | 49 | PN16 | MÉTRICO |
| 11D112 | 32 | 322      | 25 | 132 | 72  | 23 | 103 | 101 | 66 | PN16 | MÉTRICO |
| 11D113 | 40 | 556      | 32 | 143 | 88  | 25 | 125 | 130 | 71 | PN16 | MÉTRICO |
| 11D114 | 50 | 810      | 40 | 165 | 103 | 31 | 138 | 130 | 75 | PN16 | MÉTRICO |
| 11D115 | 63 | 1263     | 50 | 194 | 120 | 38 | 177 | 170 | 89 | PN16 | MÉTRICO |





## Documentação do Produto



## Certificados do Produto

## Certificados da Empresa

