




PVC-U pressure fittings

"AIR L" 90° elbow, female threaded outlet ITEM 206



REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
1001613	CODO 90° ENC "AIR-L" S/RH 50-3/4"	0.169	0.02243	5.55	30
1001614	CODO 90° ENC "AIR-L" S/RH 63-3/4"	0.297	0.03129	8.95	30
1001615	CODO 90° ENC "AIR-L" S/RH 50-1/2"	0.162	0.02244	5.35	30
1001616	CODO 90° ENC "AIR-L" S/RH 63-1/2"	0.297	0.03129	9.48	30
1001617	CODO 90° ENC "AIR-L" S/RH 75-1/2"	0.469	0.04717	12.36	25
1001619	CODO 90° ENC-RH AIR-L RH 90-3/4"	0.756	0.03682	8.11	10
1001623	CODO 90° ENC-RH AIR-L RH 110-1"	1.256	0.04880	13.14	10





ITEM 206 | "AIR L" 90° elbow, female threaded outlet

Código	A	d	Peso (g)	B	C	D	PN	MEDIDA
01615	50	1/2"	148	61	31	88	PN10	BSP
01613	50	3/4"	152	61	31	88	PN10	BSP
01616	63	1/2"	235	76	38	109	PN10	BSP
01614	63	3/4"	240	76	38	109	PN10	BSP
01617	75	1/2"	455	90	44	130	PN10	BSP
01619	90	3/4"	815	108	51	151	PN10	BSP
01623	110	1"	1265	143	61	184	PN10	BSP



Documentación del Producto



Certificados del Producto



Certificados de la Empresa

