





PVC-U pressure fittings

Female threaded union nut

ITEM 405

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volume (m³)	contenido.peso bruto	Unidades por lote
1001913	TUERCA ENLACE 3P PVC 20	0.014	0.00473	0.40	100
1001916	TUERCA ENLACE 3P PVC 25	0.022	0.00473	0.57	20
1001917	TUERCA ENLACE 3P PVC 32	0.033	0.00473	0.78	20
1001918	TUERCA ENLACE 3P PVC 40	0.054	0.00473	0.66	10
1001919	TUERCA ENLACE 3P PVC 50	0.074	0.00472	0.86	10
1001920	TUERCA ENLACE 3P PVC 63	0.115	0.00472	1.27	10
1001921	TUERCA ENLACE 3P PVC 75	0.380	0.00891	3.99	10
1001922	TUERCA ENLACE 3P PVC 90	0.282	0.01553	1.95	6
1001923	TUERCA ENLACE 3P PVC 110	0.374	0.01553	1.76	4





ITEM 405 | Female threaded union nut

Código	d	Peso (g)	A	B	C
01913	20	13	41	22	16
01916	25	22	51	25	18
01917	32	=2.349*B5-36.621	62	27	20
01918	40	57	74	29	22
01919	50	73	80	33	26
01920	63	117	98	38	28
01921	75	255	121	43	34
01922	90	291	142	52	42
01923	110	416	166	60	48



Documentación del Producto



Certificados del Producto



Certificados da Empresa

